

# OUR CONCEPTS OUR SOLUTIONS



**UNDERFLOOR HEATING**



**FROST PROTECTION**



**SNOW AND ICE MELTING**










**POWER DISTRIBUTION**

**2023**



# CONTENTS

|   |   |    |
|---|---|----|
|   | <b>WE ARE HEATCOM</b>                                   | 2  |
|   | Collaboration   | 3  |
|   | How we innovate   | 4  |
|   | Installation- & user experience                         | 5  |
|    | <b>SUSTAINABILITY</b>                                   | 6  |
|   | Production, Facilities & Suppliers                      | 8  |
|   | Products  | 9  |
|   | Responsible business                                    | 10 |
|   | <b>RESIDENTIAL</b>                                      | 12 |
|   | Electric Underfloor Heating                             | 13 |
|  | Frost protection of gutter, roof, pipes, driveways etc. | 14 |
|  | Indoor thermostats                                      | 15 |
|   | <b>CONSTRUCTION &amp; INDUSTRY</b>                      | 16 |
|  | Snow/ice melting & frost protection                     | 17 |
|  | Outdoor & process control thermostats                   | 18 |
|  | Power Distribution                                      | 19 |
|   | <b>CONTACT DETAILS</b>                                  | 20 |



# SMART HEATING SOLUTIONS

Heatcom is an international privat owned Danish company which for more than 20 years, have had the mission to design and manufacture heating solutions, with a constant focus on intelligent design and sustainability,



## Founded

Heatcom was founded  
In 2002.



## Export

to more than 20  
countries. Primarily EU  
and as far away as China,  
Taiwan and India.



**70%**

Of our sales is export.



### United Kingdom

Heat Mat  
Sales & Distribution




### DENMARK


Corporate main office  
Sales, Marketing, Manufacturing,  
Design and Development



### Sweden

Heatcom Sweden  
Sales & Distribution





**UP TO 25**  
**Years warranty**


**+ 2.000**  
**Product combinations**

**+ 8**  
**Language support**

## **WE SUCCEED THROUGH CLOSE COLLABORATION**

Whether you are a wholesaler, installer or project manager our collaboration with our partners, consists of 4 elements. This is how we ensure the best solution for you and your customers, where we constantly innovate on possibilities and solutions.

# CONSTANT INNOVATION



To ensure the best solutions we constantly monitor our product portfolio and add new innovative solutions.

# INSTALLATION- & USER EXPERIENCE



# CORPORATE SOCIAL RESPONSIBILITY



**2022**



# SUSTAINABILITY

Everything we do, we do because we believe in being part of the solution. Heatcom Corporation A/S design, manufacture and market electric heating solutions based on heating cables. We take responsibility by creating **SMART HEATING SOLUTIONS**, constantly innovate on our product portfolio and add new innovative solutions. We build partnerships and focus on collaboration as an important part for us to create value for our partners, ourselves, our planet and people. We always aim to operate a successful, responsible and profitable business with economic growth. Creating a good working environment is at the same time part of our core values.



## Primary



## Affected





# OUR VALUES



# SUSTAINABILITY

## Production, Facilities & Suppliers

- + Our new production facility and domicile is living up to the newest standards within selection of materials as well as sustainability have played a major role in all interior decoration.
- + Green energy is our primary source of propellant. This is secured through an individual agreement with our energy provider.
- + In order to minimize energy consumption, we use LED lights, sensors and other control technologies in our facilities and constantly monitor our operation.
- + We require social and environmental responsibility from all our suppliers.
- + We constantly focus on optimizing transportation by working with suppliers on optimizing each transport – enabling as little carbon monoxide as possible.



### Primary



### Affected



# SUSTAINABILITY

## Products

- + We strive to design products for the longest possible lifetime. Enabling us to extend our offer up to 25-year guarantee.
- + Our products are provided with a label that they should be recycled by the end of their life cycle.
- + Our solutions provides comfort, ensuring a healthy environment and secure buildings and water supply against snow and frost damages.
- + We aim to design products that provides the best possible performance with the lowest possible energy consumption.
- + Our products are designed to live up to the required standards and certificates in our product category. To name a few, e.g., from Intertec, SEMKO, BEAB and Ecolot20.
- + To make our product packaging recyclable and environmentally friendly a project have been started and will continue in the years to come.
- + We are in a constant process of minimizing our paper consumption for product documentation, manuals, guides, brochures etc. This material is instead offered digitally to our customers.

### Primary



### Affected



# SUSTAINABILITY

## Responsible business

- + We are proud to have a workplace that welcomes all people with the right qualifications regardless of gender, race, religion, disability, sexual orientation, and age.
- + Through workshops, working committees and social events, we ensure that our common values are constantly nourished.
- + We believe that creating a good working environment is an important element in building a successful and profitable business.
- + Among others we collaborate with the Working Environment Authority, interior architects, factory inspectors to be able to offer our employees facilities that ensure a healthy and safe working environment.



### Primary








**HEATCOM**  
SMART HEATING SOLUTIONS

**RESIDENTIAL  
HEATING  
APPLICATIONS**



# RESIDENTIAL HEATING APPLICATIONS



## UNDERFLOOR HEATING

### HEATING MATS

Area: **0,65 - 15 m<sup>2</sup>**  
Effect: **100, 150 & 190 W/ m<sup>2</sup>**

[See more](#)

- + Very installation friendly
- + Easy dimensioning

### ALUMAT

Area: **1 - 15 m<sup>2</sup>**  
Effect: **80 & 140 W/ m<sup>2</sup>**

[See more](#)

- + Installation without embedding
- + Fastest heat regulation

### 3MM HEATING CABLE

Length: **11,3 - 177 m**  
Effect: **12 W/m**

[See more](#)

- + Highest operating reliability
- + Thinnest cable on the market

### 6MM HEATING CABLE

Length: **6 - 220 m**  
Effect: **10, 14, 18 & 20 W/m**

[See more](#)

- + Markets largest product selection – 4 effect classes
- + Extremely robust



## MIRROR DEMISTER


### MIRROR HEATING

Dimension: **265x274 – 524x1040 mm**  
Effect: **15 – 100 W**

[See more](#)

- + Adhesive backing
- + Easy mounting

# RESIDENTIAL HEATING APPLICATIONS



## FROST PROTECTION OF GUTTER, ROOF, PIPES & DRIVE WAY



### PLUG AND PLAY FROST SAFE

Built-in thermostat

Length: **1,4 - 45 m**  
Effect: **13 W/m**

[See more](#)

- + Serie resistive heating cable
- + Outside on pipes
- + Cost effective



### PARALLEL RESISTIVE HEATING CABLE

Length drum: **200M +**  
Effect: **15, 20, 30 & 40 W/m**

[See more](#)

- + Cut to length per 60 cm
- + Highest operating reliability
- + Highest maximum lengths
- + Good work comfort upon application



### PLUG AND PLAY PLUGIN

Length done: **1,4 - 50 m**  
Effect: **11 W/m**

[See more](#)

- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient



### SELF LIMITING HEATING CABLE

Length drum: **250 m+**  
Effect: **11 W/m**

[See more](#)

- + Cut to length
- + In- and outside on pipes
- + Energy efficient



### PLUG AND PLAY AQUA SAFE


Length: **1,0 - 40 m**  
Effect: **10 W/m**

[See more](#)

- + Serie resistive heating cable
- + In- and outside on pipes
- + Cost effective

# THERMOSTAT CONTROL

## MAKE THE HOME SMART



## INDOOR THERMOTATS



### HC15

Manual and easy to operate

- + Classic design
- + Color will fit in every room
- + Reliable operation

[See more](#)



### HC30-15

Simple and intuitive manual control

- + Simple, intuitive design
- + Extended functionality provided by hidden functions
- + Monitors room and floor temperature
- + Temperature limitation
- + Long lifetime

[See more](#)



### HC60

Simple and programmable

- + Backlit digital display
- + Easy control
- + Adaptive heating
- + Programmable for an energy optimized system
- + Versatile control in 3 working modes
- + Modern design
- + Lot20-compliant for energy efficiency

[See more](#)



### HC71

The intelligent all-in-one

- + Intelligent
- + Self-learning
- + Programmable
- + Monitors room and floor temperature
- + Stylish polar white look
- + Lot20-compliant for energy efficiency

[See more](#)



### HC90

Intelligent with Wi-Fi & APP Control

- + Simple operation and navigation
- + Stylish design and broad functionality
- + Remote access and control via an app
- + No gateway required
- + Wide range of easy-to-use function
- + Lot20-compliant for energy efficiency

[See more](#)

Colors:





**HEATCOM**  
SMART HEATING SOLUTIONS

**CONSTRUCTION &  
INDUSTRY**

**AVOID  
CONSTRUCTION  
DOWNTIME**

# IT NEEDS TO BE EASY | FAST | FLEXIBLE | EFFICIENT



**1. INSTALL**



**2. PLUG IN**



**3. START**

**ENERGY EFFICIENT ✓**



## SNOW/ICE MELTING & FROST PROTECTION



[See more](#)

### PLUG AND PLAY OUTDOOR WINTER MAT

Size: **1,0 x 3,0 m & 0,6 x 8,0 m**  
Effect: **300 W/m<sup>2</sup>**

- + Multi purpose use
- + For thawing of frozen ground
- + Easy to use – Plug'n'play
- + Avoid downtime on the construction site
- + Long Lifetime



[See more](#)

### THERM TRACE

**13 different designs** for various applications incl. offshore & petrochemical plants

- + Self regulating incl. ATEX approved cables
- + Constant power
- + Hazardous areas
- + High chemical resistance
- + Extremely high temperatures
- + Moisture proof
- + Highly robust
- + Small dimensions
- + Food safe outer jacket



[See more](#)

### PLUG AND PLAY HEATING WRAP

Length: **5, 10, 15, 20 & 25 m**  
Effect: **17 W/m**

- + With built-in insulation
- + For frost protection of pipes and water lines
- + Easy to use – Plug'n'play
- + Avoid downtime on the construction site
- + Long lifetime



[See more](#)

### PLUG AND PLAY CONCRETE CURING

Length: **10 m – 85 m**  
Effect: **400 W – 3400 W**

- + For rapid hardening of concrete elements
- + Install, cut and forget



# OUTDOOR & PROCESS CONTROL THERMOSTATS

For frost protection and snow- and ice melting

NEW



## HC200 UNI

In- & outdoor, universal & programmable

- + plug'n'play
- + 1,6" backlit LCD screen
- + Room heating and frost protection
- + IP44
- + 3 Meter sensor

See more



## ETR2

For small outdoor areas

- + Economic control of ice and snow melting for small applications
- + Easy to install
- + Adjustment of the humidity sensor sensitivity
- + Has DIN installation

See more



## TM1883UTR

All-in-one with sensor

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy to use & adjust

See more



## ETR144

Smaller buildings to melt ice in gutters

- + Prevents the formation of icicles
- + Easy to use

See more



## TM1773

For larger outdoor areas

- + Economic control of ice and snow melting for Small / bigger applications
- + Easy to program
- + Option of DIN installation

See more



## ETN41999

All-in-one

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy-to-use

See more



## ETO2

For larger outdoor areas

- + Measures the temperature and humidity through a sensor
- + Economical control of energy consumption
- + Option of DIN installation
- + Easy to program by using the digital display and the knob

See more



## POWER DISTRIBUTION



### CEE CABLE

CEE 13A Phase reverse

Type: **5G 1,5mm<sup>2</sup> H07RN-F**

Length: **10, 20 & 25 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### CEE CABLE

CEE 16A Phase reverse

Type: **5G 2,5mm<sup>2</sup> H07RN-F**

Length: **10, 20 & 25 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### CEE CABLE

CEE 32A

Type: **5G 6mm<sup>2</sup> H07RN-F**

Length: **10 & 20 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### CEE CABLE

CEE 63A

Type: **5G 16mm<sup>2</sup> H07RN-F**

Length: **10 & 20 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### CEE CABLE

CEE 16A

Type: **3G 1,5mm<sup>2</sup> H07RN-F**

Length: **10 & 20 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### CEE CABLE

CEE 16A

Type: **3G 2,5mm<sup>2</sup> H07RN-F**

Length: **10 & 20 m**

- + Rubber Neoprene
- + Long lifetime
- + Flexible by low temperatures
- + IP44 Classification



### PROTECTION BOX

With padlock availability

Length: **370mm X Ø75**

- + Padlock availability





## POWER DISTRIBUTION



### POWER DISTRIBUTION BOX

CEE 16A

**Outlet:**

- 4 X DK/SCHUKO
- 1 X CEE 16A
- 1 X unfused CEE 16A

- + Circuit breakers and HPFI
- + Inlet socket 16A
- + enclosure in impact-resistant ABS
- + IP44 Classification
- + Lock on lid



### POWER DISTRIBUTION BOX

CEE 32A

**Outlet:**

- 4 X DK/SCHUKO
- 1 X CEE 16A
- 1 X unfused CEE 32A

- + Circuit breakers and HPFI
- + Inlet socket 32A
- + enclosure in impact-resistant ABS
- + IP44 Classification
- + Lock on lid



### POWER DISTRIBUTION BOX

CEE 16A

**Outlet:**

- 8 X DK/SCHUKO
- 1 X CEE 16A
- 1 X unfused CEE 16A

- + Circuit breakers and HPFI
- + Inlet socket 16A
- + Enclosure in impact-resistant ABS
- + IP44 Classification
- + Lock on lid



### POWER DISTRIBUTION BOX

CEE 32A

**Outlet:**

- 8 X DK/SCHUKO
- 1 X CEE 16A
- 1 X unfused CEE 32A

- + Circuit breakers and HPFI
- + Inlet socket 32A
- + Enclosure in impact-resistant ABS
- + IP44 Classification
- + Lock on lid



### POWER DISTRIBUTION BOX STAND

## CONTACT US



+45 63 41 77 77



Sales@heatcom.dk



www.heatcom.dk



Barmstedt Allé 6  
DK-5500 Middelfart