



HEATCOM

PRODUCT CATALOGUE

OUR CONCEPTS
OUR SOLUTIONS



CONTENTS

Heatcom

- 1 About us
- 2 Brands
- 3 Heatcom 360°

1 Underfloor Heating

- 5 - 8 Heating Mats
- 9 Insulation Boards
- 10 - 16 Heating Cables & Cable Kits
- 13 Decoupling Membrane
- 17 Accessories

2 Indoor Thermostats

- 18 - 19 Thermostats - Electric Floor Heating

3 Mirror Heating

- 21 Mirror Demisters

4 Frost Protection

- 23 - 27 Heating Cables + Accessories
- 28 Mobile Heating Wrap

5 Snow & Ice Melting

- 30 Heating Mats
- 31 - 35 Heating Cables + Accessories
- 36 Mobile Winter Mat

6 Outdoor Thermostats & Controls

- 38 Outdoor Thermostats & Controls
- 39 Outdoor Sensors
- 40 Universal Thermostat

7 Concrete Curing

- 42 Heating Cable

8 Fan Heaters

- 44 Fan Heaters

9 Power Distribution

- 46 CEE Cable Sets
- 47 CEE Plugs
- 48 Power Distribution Boxes
- 49 DK Cable Sets, Distributor & Adapter Plug
- 50 - 51 DK plugs & extension joints

Sustainability

- 52 - 56 CSR

Contact Info

- 57 Contact Information



SMART HEATING SOLUTIONS

HEATCOM
SMART HEATING SOLUTIONS

Heatcom is an international Danish company which for more than 20 years, have had the mission to design heating solutions, with a constant focus on intelligent design, energy efficiency & usability.

HEATCOM

Heatcom

Founded In 2002



Global export

Supporting more than 25+ countries and markets



80%

of our solutions are allocated to international markets beyond the borders of Denmark

United Kingdom
Heat Mat
Sales & Distribution

Denmark
Corporate main office
Sales, Marketing, Manufacturing,
Design and Development

Sweden
Heatcom Sweden
Sales & Distribution

France
Official Representative
Sales

BRANDS

WITH A PURPOSE

HEATCOM
SMART HEATING SOLUTIONS

We offer a diverse range of products **designed to meet the needs of various markets**

Our brands series is designed to support a wide range of demands. We strive to ensure that our customers and users receive exceptional value, superior performance, and unmatched reliability from our products, service and solutions.

HEATCOM
SMART HEATING SOLUTIONS

Heatcom

- + Wide selection of solutions designed to meet the demands of every market
- + Large series of high-quality products for Residential, commercial, or industry
- + High reliability, efficiency & intelligent design

FLXHEAT
PROFESSIONAL HEATING

FLXHeat

- + Specialized products designed and developed for professionals and the professional market
- + Specific solutions, and services to meet their unique demands

HEATΣHOME
BY HEATCOM

HeatMyHome


- + Series of cost-effective underfloor heating mats and heating cables
- + Alternative without compromising on quality

PRIVATELABEL
YOUR BRAND. OUR SOLUTIONS

Private Label


- + Use your brand with our solutions, products, services and extended warranties
- + In collaboration we design and develop it a specific solution which suits your brand

SUCCESS THROUGH CLOSE COLLABORATION



Our concept and service which we continuously develop to give partners and users:

The best experience



UP TO **25**
Year warranty

+ 2.000
Product combinations








ELECTRIC UNDERFLOOR HEATING

Energy efficient
Easy to install
Fit any space
Wet or dry
installations



3 MM HEATING MATS

Indoor ✓ Bathroom ✓



HEATING MAT 100 W/m²

No.	Description	Watt
32100010	Heating mat 100W/m ² - 1,1m ²	110 W
32100015	Heating mat 100W/m ² - 1,4m ²	150 W
32100020	Heating mat 100W/m ² - 2,0m ²	200 W
32100026	Heating mat 100W/m ² - 2,6m ²	260 W
32100030	Heating mat 100W/m ² - 3,0m ²	310 W
32100041	Heating mat 100W/m ² - 4,1m ²	410 W
32100049	Heating mat 100W/m ² - 4,9m ²	530 W
32100058	Heating mat 100W/m ² - 5,8m ²	580 W
32100070	Heating mat 100W/m ² - 7,0m ²	730 W
32100083	Heating mat 100W/m ² - 8,3m ²	810 W
32100090	Heating mat 100W/m ² - 9,0m ²	930 W
32100102	Heating mat 100W/m ² - 10,2m ²	1000 W
32100115	Heating mat 100W/m ² - 11,5m ²	1130 W
32100130	Heating mat 100W/m ² - 13,0m ²	1260 W
32100151	Heating mat 100W/m ² - 15,0m ²	1530 W



25
Year
warranty

- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
32152008	Heating mat 150W/m ² 0,84m ²	130 W
32152012	Heating mat 150W/m ² 1,2m ²	180 W
32152016	Heating mat 150W/m ² 1,6m ²	240 W
32152022	Heating mat 150W/m ² 2,2m ²	320 W
32152025	Heating mat 150W/m ² 2,5m ²	370 W
32152030	Heating mat 150W/m ² 3,0m ²	450 W
32152034	Heating mat 150W/m ² 3,4m ²	490 W
32152036	Heating mat 150W/m ² 3,6m ²	520 W
32152042	Heating mat 150W/m ² 4,2m ²	610 W
32152048	Heating mat 150W/m ² 4,8m ²	690 W
32152054	Heating mat 150W/m ² 5,4m ²	780 W
32152060	Heating mat 150W/m ² 6,0m ²	860 W
32152068	Heating mat 150W/m ² 6,8m ²	980 W
32152072	Heating mat 150W/m ² 7,2m ²	1040 W
32152080	Heating mat 150W/m ² 8,0m ²	1170 W
32152084	Heating mat 150W/m ² 8,4m ²	1220 W
32152095	Heating mat 150W/m ² 9,5m ²	1370 W
32152105	Heating mat 150W/m ² 10,5m ²	1560 W
32152113	Heating mat 150W/m ² 11,3m ²	1630 W
32152124	Heating mat 150W/m ² 12,4m ²	1850 W
32152147	Heating mat 150W/m ² 14,7m ²	2170 W

HEATING MAT 190 W/m²

No.	Description	Watt
32200006	Heating mat 190 W/m ² - 0,6m ²	120 W
32200010	Heating mat 190 W/m ² - 1,0m ²	180 W
32200016	Heating mat 190 W/m ² - 1,6m ²	300 W
32200020	Heating mat 190 W/m ² - 2,0m ²	370 W
32200026	Heating mat 190 W/m ² - 2,6m ²	490 W
32200028	Heating mat 190 W/m ² - 2,8m ²	520 W
32200035	Heating mat 190 W/m ² - 3,5m ²	650 W
32200041	Heating mat 190 W/m ² - 4,1m ²	780 W
32200055	Heating mat 190 W/m ² - 5,5m ²	1060 W
32200061	Heating mat 190 W/m ² - 6,0m ²	1130 W
32200068	Heating mat 190 W/m ² - 6,8m ²	1300 W
32200073	Heating mat 190 W/m ² - 7,3m ²	1380 W
32200087	Heating mat 190 W/m ² - 8,7m ²	1630 W
32200102	Heating mat 190 W/m ² - 10,2m ²	1950 W
32200129	Heating mat 190 W/m ² - 12,9m ²	2410 W




Technical specifications ↑



3 MM HEATING MATS


Indoor ✓ Bathroom ✓




Wood



Parquet



Laminate



Tile



Coating



Carpet



Vinyl



Cork



Chipboard

HEATING MAT 100 W/m²

No.	Description	Watt
50100010	Flxmat 3 - 100 W/m ² - 1,1m ²	110 W
50100015	Flxmat 3 - 100 W/m ² - 1,4m ²	150 W
50100020	Flxmat 3 - 100 W/m ² - 2,0m ²	200 W
50100026	Flxmat 3 - 100 W/m ² - 2,6m ²	260 W
50100030	Flxmat 3 - 100 W/m ² - 3,0m ²	310 W
50100041	Flxmat 3 - 100 W/m ² - 4,1m ²	410 W
50100049	Flxmat 3 - 100 W/m ² - 4,9m ²	530 W
50100058	Flxmat 3 - 100 W/m ² - 5,8m ²	580 W
50100070	Flxmat 3 - 100 W/m ² - 7,0m ²	730 W
50100083	Flxmat 3 - 100 W/m ² - 8,3m ²	810 W
50100090	Flxmat 3 - 100 W/m ² - 9,0m ²	930 W
50100102	Flxmat 3 - 100 W/m ² - 10,2m ²	1000 W
50100115	Flxmat 3 - 100 W/m ² - 11,5m ²	1130 W
50100130	Flxmat 3 - 100 W/m ² - 13,0m ²	1260 W
50100150	Flxmat 3 - 100 W/m ² - 15,0m ²	1530 W

25
Year
warranty

- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
50153008	Flxmat 3 150W/m ² 0,84m ²	130 W
50153012	Flxmat 3 150W/m ² 1,2m ²	180 W
50153016	Flxmat 3 150W/m ² 1,6m ²	240 W
50153022	Flxmat 3 150W/m ² 2,2m ²	320 W
50153025	Flxmat 3 150W/m ² 2,5m ²	370 W
50153030	Flxmat 3 150W/m ² 3,0m ²	450 W
50153034	Flxmat 3 150W/m ² 3,4m ²	490 W
50153036	Flxmat 3 150W/m ² 3,6m ²	520 W
50153042	Flxmat 3 150W/m ² 4,2m ²	610 W
50153048	Flxmat 3 150W/m ² 4,8m ²	690 W
50153054	Flxmat 3 150W/m ² 5,4m ²	780 W
50153060	Flxmat 3 150W/m ² 6,0m ²	860 W
50153068	Flxmat 3 150W/m ² 6,8m ²	980 W
50153072	Flxmat 3 150W/m ² 7,2m ²	1040 W
50153080	Flxmat 3 150W/m ² 8,0m ²	1170 W
50153084	Flxmat 3 150W/m ² 8,4m ²	1220 W
50153095	Flxmat 3 150W/m ² 9,5m ²	1370 W
50153105	Flxmat 3 150W/m ² 10,5m ²	1560 W
50153113	Flxmat 3 150W/m ² 11,3m ²	1630 W
50153124	Flxmat 3 150W/m ² 12,4m ²	1850 W
50153147	Flxmat 3 150W/m ² 14,7m ²	2170 W




HEATING MAT 190 W/m²

No.	Description	Watt
50190006	Flxmat 3 - 190 W/m ² - 0,6m ²	120 W
50190010	Flxmat 3 - 190 W/m ² - 1,0m ²	180 W
50190016	Flxmat 3 - 190 W/m ² - 1,6m ²	300 W
50190020	Flxmat 3 - 190 W/m ² - 2,0m ²	370 W
50190026	Flxmat 3 - 190 W/m ² - 2,6m ²	490 W
50190028	Flxmat 3 - 190 W/m ² - 2,8m ²	520 W
50190035	Flxmat 3 - 190 W/m ² - 3,5m ²	650 W
50190041	Flxmat 3 - 190 W/m ² - 4,1m ²	780 W
50190055	Flxmat 3 - 190 W/m ² - 5,5m ²	1060 W
50190060	Flxmat 3 - 190 W/m ² - 6,0m ²	1130 W
50190068	Flxmat 3 - 190 W/m ² - 6,8m ²	1300 W
50190073	Flxmat 3 - 190 W/m ² - 7,3m ²	1380 W
50190087	Flxmat 3 - 190 W/m ² - 8,7m ²	1630 W
50190102	Flxmat 3 - 190 W/m ² - 10,2m ²	1950 W
50190129	Flxmat 3 - 190 W/m ² - 12,9m ²	2410 W



3,5 MM HEATING MATS

Indoor ✓ Bathroom ✓

HEATING MAT 100 W/m²

No.	Description	Watt
80100010	HMH Mat 100W/m ² 1,0m ² (0,5m * 2,0m)	100 W
80100013	HMH Mat 100W/m ² 1,3m ² (0,5m * 2,6m)	130 W
80100024	HMH Mat 100W/m ² 2,4m ² (0,5m * 4,8m)	240 W
80100037	HMH Mat 100W/m ² 3,7m ² (0,5m * 7,4m)	370 W
80100049	HMH Mat 100W/m ² 4,9m ² (0,5m * 9,8m)	490 W
80100061	HMH Mat 100W/m ² 6,1m ² (0,5m * 12,2m)	610 W
80100073	HMH Mat 100W/m ² 7,3m ² (0,5m * 14,6m)	730 W
80100086	HMH Mat 100W/m ² 8,6m ² (0,5m * 17,2m)	860 W
80100098	HMH Mat 100W/m ² 9,8m ² (0,5m * 19,6m)	980 W
80100110	HMH Mat 100W/m ² 11,0m ² (0,5m * 22,0m)	1100 W
80100122	HMH Mat 100W/m ² 12,2m ² (0,5m * 24,4m)	1220 W
80100143	HMH Mat 100W/m ² 14,3m ² (0,5m * 28,6m)	1430 W

15
Year
warranty

- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
80150010	HMH Mat 150W/m ² 1,0m ² (0,5m * 2,0m)	150 W
80150015	HMH Mat 150W/m ² 1,5m ² (0,5m * 3,0m)	225 W
80150020	HMH Mat 150W/m ² 2,0m ² (0,5m * 4,0m)	300 W
80150025	HMH Mat 150W/m ² 2,5m ² (0,5m * 5,0m)	375 W
80150030	HMH Mat 150W/m ² 3,0m ² (0,5m * 6,0m)	450 W
80150040	HMH Mat 150W/m ² 4,0m ² (0,5m * 8,0m)	600 W
80150050	HMH Mat 150W/m ² 5,0m ² (0,5m * 10,0m)	750 W
80150060	HMH Mat 150W/m ² 6,0m ² (0,5m * 12,0m)	900 W
80150070	HMH Mat 150W/m ² 7,0m ² (0,5m * 14,0m)	1050 W
80150080	HMH Mat 150W/m ² 8,0m ² (0,5m * 16,0m)	1200 W
80150090	HMH Mat 150W/m ² 9,0m ² (0,5m * 18,0m)	1350 W
80150100	HMH Mat 150W/m ² 10,0m ² (0,5m * 20,0m)	1500 W
80150120	HMH Mat 150W/m ² 12,0m ² (0,5m * 24,0m)	1800 W
80150150	HMH Mat 150W/m ² 15,0m ² (0,5m * 30,0m)	2250 W

HEATING MAT 180 W/m²

No.	Description	Watt
80180009	HMH Mat 180W/m ² 0,9m ² (0,5 m x 1,7 m)	150 W
80180017	HMH Mat 180W/m ² 1,7m ² (0,5 m x 3,3 m)	300 W
80180025	HMH Mat 180W/m ² 2,5m ² (0,5 m x 5,0 m)	450 W
80180034	HMH Mat 180W/m ² 3,4m ² (0,5 m x 6,7 m)	600 W
80180042	HMH Mat 180W/m ² 4,2m ² (0,5 m x 8,3 m)	750 W
80180050	HMH Mat 180W/m ² 5,0m ² (0,5 m x 10,0 m)	900 W
80180059	HMH Mat 180W/m ² 5,9m ² (0,5 m x 11,7m)	1050 W
80180067	HMH Mat 180W/m ² 6,7m ² (0,5 m x 13,3 m)	1200 W
80180075	HMH Mat 180W/m ² 7,5m ² (0,5 m x 15,0 m)	1350 W
80180084	HMH Mat 180W/m ² 8,4m ² (0,5 m x 16,7 m)	1500 W
80180100	HMH Mat 180W/m ² 10,0m ² (0,5 m x 20,0 m)	1800 W
80180125	HMH Mat 180W/m ² 12,5m ² (0,5 m x 25,0 m)	2250 W






Technical specifications ↑



ALUMAT HEATING MAT

Indoor ✓ Bathroom ✕



ALUMAT 80 W/m²

No.	Description	Watt
40840010	AluMat 1,0 m² (0,5 x 2,0 m)	80 W
40840015	AluMat 1,5 m² (0,5 x 3,0 m)	120 W
40840020	AluMat 2,0 m² (0,5 x 4,0 m)	160 W
40840025	AluMat 2,5 m² (0,5 x 5,0 m)	200 W
40840030	AluMat 3,0 m² (0,5 x 6,0 m)	240 W
40840035	AluMat 3,5 m² (0,5 x 7,0 m)	280 W
40840040	AluMat 4,0 m² (0,5 x 8,0 m)	320 W
40840045	AluMat 4,5 m² (0,5 x 9,0 m)	360 W
40840050	AluMat 5,0 m² (0,5 x 10,0 m)	400 W
40840060	AluMat 6,0 m² (0,5 x 12,0 m)	480 W
40840070	AluMat 7,0 m² (0,5 x 14,0 m)	560 W
40840080	AluMat 8,0 m² (0,5 x 16,0 m)	640 W
40840090	AluMat 9,0 m² (0,5 x 18,0 m)	720 W
40840100	AluMat 10,0 m² (0,5 x 20,0 m)	800 W
40840120	AluMat 12,0 m² (0,5 x 24,0 m)	960W
40840150	AluMat 15,0 m² (0,5 x 30,0 m)	1200W



15
Year
warranty

- + Dry installation – Easy and clean – no filler needed
- + Simple installation without embedding
- + Fastest heat regulation
- + Lower profile than a standard heating mat – 1,5 mm

ALUMAT 140 W/m²

No.	Description	Watt
40850010	AluMat 1,0 m² (0,5 x 2,0 m)	140 W
40850015	AluMat 1,5 m² (0,5 x 3,0 m)	210 W
40850020	AluMat 2,0 m² (0,5 x 4,0 m)	280 W
40850025	AluMat 2,5 m² (0,5 x 5,0 m)	350 W
40850030	AluMat 3,0 m² (0,5 x 6,0 m)	420 W
40850035	AluMat 3,5 m² (0,5 x 7,0 m)	490 W
40850040	AluMat 4,0 m² (0,5 x 8,0 m)	560 W
40850045	AluMat 4,5 m² (0,5 x 9,0 m)	630 W
40850050	AluMat 5,0 m² (0,5 x 10,0 m)	700 W
40850060	AluMat 6,0 m² (0,5 x 12,0 m)	840 W
40850070	AluMat 7,0 m² (0,5 x 14,0 m)	980 W
40850080	AluMat 8,0 m² (0,5 x 16,0 m)	1120 W
40850090	AluMat 9,0 m² (0,5 x 18,0 m)	1260 W
40850100	AluMat 10,0 m² (0,5 x 20,0 m)	1400 W
40850120	AluMat 12,0 m² (0,5 x 24,0 m)	1680 W
40850150	AluMat 15,0 m² (0,5 x 30,0 m)	2099 W

ACCESSORIES

No.	Description
40049008	Alu tape 50mm x 25 m 50my

ALU-TAPE 25M

Aluminum tape with good heat conduction properties






*Can be used beneath carpet and vinyl flooring with Alucover Insulation Board.
See Insulation Boards



INSULATION BOARDS

Indoor ✓ Bathroom ✕



REFLECTOR

3 & 6 mm

No. Description

40101030	Reflector3 - 3 mm 500 x 1200 - packing of 6 m ²
40101060	Reflector6 - 6 mm 500 x 1200 - packing of 6 m ²



10
Year
warranty

- + Effective footstep soundproofing and thermal insulation for hard surfaces
- + Longer floor life due to levelling small irregularities of the sub-floor
- + High load resistance
- + Absorbs unevenness of the subfloor
- + Smooth surface – necessary for floating insulation of the floor
- + Very low water absorption
- + Approved as underfloor heating insulation

ALUCOVER

No. Description

40180700	AluCover 7 mm 2,88m ² /pk
----------	--------------------------------------

per m²

*Floor Cover

*Glue

4 mm top plate

3 mm bottom plate









*Not included

- + High quality MDF plate
- + Provides a very stable subfloor
- + High resistance to both static and dynamic loads



3 MM HEATING CABLE

Indoor ✓ Bathroom ✓



3MM HEATING CABLE 12 W/m

No.	Description	Watt
51180094	Heating cable Ø3 mm, 12 W/m - 9.4 m	120 W
51180153	Heating cable Ø3 mm, 12 W/m - 15.3 m	190 W
51180228	Heating cable Ø3 mm, 12 W/m - 22.8 m	290 W
51180297	Heating cable Ø3 mm, 12 W/m - 29.7 m	370 W
51180375	Heating cable Ø3 mm, 12 W/m - 37.5 m	470 W
51180438	Heating cable Ø3 mm, 12 W/m - 43.8 m	550 W
51180525	Heating cable Ø3 mm, 12 W/m - 52.5 m	650 W
51180671	Heating cable Ø3 mm, 12 W/m - 67.0 m	840 W
51180790	Heating cable Ø3 mm, 12 W/m - 79.0 m	980 W
51180870	Heating cable Ø3 mm, 12 W/m - 87.0 m	1090 W
51180980	Heating cable Ø3 mm, 12 W/m - 98.0 m	1230 W
51181100	Heating cable Ø3 mm, 12 W/m - 110.0 m	1370 W
51181300	Heating cable Ø3 mm, 12 W/m - 130.0 m	1630 W
51181420	Heating cable Ø3 mm, 12 W/m - 142.0 m	1770 W
51181530	Heating cable Ø3 mm, 12 W/m - 153.0 m	1920 W
51181741	Heating cable Ø3 mm, 12 W/m - 174.0 m	2170 W

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.










Ideal for
EXISTING STABLE FLOORS

- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations.
- + Higher degree of flexibility



3,5 MM HEATING CABLE

Indoor ✓ Bathroom ✓



3,5 MM HEATING CABLE 14 W/m

No.	Description	Watt
80290120	HMH Ø3,5 14W/m 8,4m	120 W
80290140	HMH Ø3,5 14W/m 10,2m	140 W
80290210	HMH Ø3,5 14W/m 14,9m	210 W
80290280	HMH Ø3,5 14W/m 19,5m	280 W
80290350	HMH Ø3,5 14W/m 25,0m	350 W
80290420	HMH Ø3,5 14W/m 29,5m	420 W
80290550	HMH Ø3,5 14W/m 39,5m	550 W
80290680	HMH Ø3,5 14W/m 49,0m	680 W
80290820	HMH Ø3,5 14W/m 59,0m	820 W
80290960	HMH Ø3,5 14W/m 69,0m	960 W
80291090	HMH Ø3,5 14W/m 78,0m	1090 W
80291230	HMH Ø3,5 14W/m 88,0m	1230 W
80291370	HMH Ø3,5 14W/m 98,0m	1370 W
80291640	HMH Ø3,5 14W/m 117,0m	1640 W
80292040	HMH Ø3,5 14W/m 147,0m	2040 W

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.




Ideal for
EXISTING STABLE FLOORS

- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations.
- + Higher degree of flexibility




3 MM HEATING CABLE


Indoor ✓ Bathroom ✓




Wood




Parquet




Laminate




Tile




Coating



Carpet



Vinyl



Cork



Chipboard

CABLE KIT

3MM Heating cable 12 W/m + Flextube + self adhesive tape + Cover tape



No.	Description	Watt
33000094	Cable Kit 3mm heating cable 9,4m 120W	120 W
33000153	Cable Kit 3mm heating cable 15,3m 190W	190 W
33000228	Cable Kit 3mm heating cable 22,8m 290W	290 W
33000297	Cable Kit 3mm heating cable 29,7m 370W	370 W
33000375	Cable Kit 3mm heating cable 37,5m 470W	470 W
33000438	Cable Kit 3mm heating cable 43,8m 550W	550 W
33000525	Cable Kit 3mm heating cable 52,5m 650W	650 W
33000670	Cable Kit 3mm heating cable 67,0m 840W	840 W
33000790	Cable Kit 3mm heating cable 79,0m 980W	980 W
33000870	Cable Kit 3mm heating cable 87,0m 1090W	1090 W
33000980	Cable Kit 3mm heating cable 98,0m 1230W	1230 W
33001100	Cable Kit 3mm heating cable 110,0m 1370W	1370 W
33001300	Cable Kit 3mm heating cable 130,0m 1630W	1630 W
33001420	Cable Kit 3mm heating cable 142,0m 1770W	1770 W
33001530	Cable Kit 3mm heating cable 153,0m 1920W	1920 W
33001740	Cable Kit 3mm heating cable 174,0m 2170W	2170 W

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.



Ideal for
EXISTING STABLE FLOORS

- + All necessary components for an installation on existing stable floors – except the filler
- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations.
- + Higher degree of flexibility



DECOUPLING MEMBRANE




DECOUPLING MEMBRANE

1, 5 & 15m² Rolls

No. Description

40102001	Decoupling Membrane 1,0m ²
40102005	Decoupling Membrane 5,0m ²
40102015	Decoupling Membrane 15,0m ²

*Can be used together with 3mm & 3,5mm heating cables. See page **10 – 12**.



- + Improves warmup time and energy efficiency of all underfloor heating systems
- + Features guard against sub floor movement and stress cracking
- + Combined decoupling membrane and cable carrier for speedy installation
- + Heating cables are protected from trowel work
- + Vary the cable spacing over the floor area to provide targeted heat where it's required
- + Speedy installation of heating cables without needing double-sided tape
- + No need for tapes or glue to hold down the heating cables
- + Simple to cut on-site to provide complete floor coverage
- + The membrane takes out movement in the floor to prevent tiles from cracking
- + Protects the floor covering from movement in three dimensions



5 MM HEATING CABLE

Indoor ✓ Bathroom ✓



5 MM HEATING CABLE 20 W/m

No.	Description	Watt
80500200	HMH Heating Cable Ø5,0 20W/m 10,0m	200 W
80500300	HMH Heating Cable Ø5,0 20W/m 15,0m	300 W
80500400	HMH Heating Cable Ø5,0 20W/m 20,0m	400 W
80500500	HMH Heating Cable Ø5,0 20W/m 25,0m	500 W
80500600	HMH Heating Cable Ø5,0 20W/m 30,0m	600 W
80500700	HMH Heating Cable Ø5,0 20W/m 35,0m	700 W
80500800	HMH Heating Cable Ø5,0 20W/m 40,0m	800 W
80500900	HMH Heating Cable Ø5,0 20W/m 45,0m	900 W
80501000	HMH Heating Cable Ø5,0 20W/m 50,0m	1000 W
80501200	HMH Heating Cable Ø5,0 20W/m 60,0m	1200 W
80501400	HMH Heating Cable Ø5,0 20W/m 70,0m	1400 W
80501600	HMH Heating Cable Ø5,0 20W/m 80,0m	1600 W
80501800	HMH Heating Cable Ø5,0 20W/m 90,0m	1800 W
80502000	HMH Heating Cable Ø5,0 20W/m 100,0m	2000 W
80502400	HMH Heating Cable Ø5,0 20W/m 120,0m	2400 W
80503000	HMH Heating Cable Ø5,0 20W/m 150,0m	3000 W



Primarily for
NEW BUILD CONCRETE FLOORS








- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations





6 MM HEATING CABLE

Indoor ✓ Bathroom ✓



6 MM HEATING CABLE 10 W/m

No.	Description	Watt
51230008	Heating cable Ø6 mm 10W/m - 8,0 m	85 W
51230014	Heating cable Ø6 mm 10W/m - 14,0 m	150 W
51230021	Heating cable Ø6 mm 10W/m - 21,0 m	200 W
51230028	Heating cable Ø6 mm 10W/m - 28,0 m	300 W
51230035	Heating cable Ø6 mm 10W/m - 35,0 m	350 W
51230042	Heating cable Ø6 mm 10W/m - 42,0 m	425 W
51230049	Heating cable Ø6 mm 10W/m - 49,0 m	500 W
51230056	Heating cable Ø6 mm 10W/m - 56,0 m	560 W
51230061	Heating cable Ø6 mm 10W/m - 61,0 m	625 W
51230070	Heating cable Ø6 mm 10W/m - 70,0 m	700 W
51230090	Heating cable Ø6 mm 10W/m - 90,0 m	900 W
51230100	Heating cable Ø6 mm 10W/m - 100,0 m	1000 W
51230117	Heating cable Ø6 mm 10W/m - 117,0 m	1200 W
51230140	Heating cable Ø6 mm 10W/m - 140,0 m	1450 W
51230180	Heating cable Ø6 mm 10W/m - 180,0 m	1850 W
51230230	Heating cable Ø6 mm 10W/m - 230,0 m	2300 W



Primarily for
NEW BUILD CONCRETE FLOORS

- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations
- + **10 W/m** and **14 W/m** heating cables are suitable for low-built underfloor heating, installed in a minimum 10 mm thick layer onto an existing, stable construction.
- + **10 W/m** is also suitable for installation beneath wooden floors on joists.
- + **18 W/m** and **20 W/m** are suitable for embedment in a self-supported concrete layer or screed with or without reinforcement grid in a minimum 30 mm thick layer

6 MM HEATING CABLE 14 W/m

No.	Description	Watt
51240006	Heating cable Ø6 mm 14W/m - 6,9 m	100 W
51240012	Heating cable Ø6 mm 14W/m - 11,9 m	170 W
51240018	Heating cable Ø6 mm 14W/m - 18,0 m	250 W
51240024	Heating cable Ø6 mm 14W/m - 24,0 m	335 W
51240030	Heating cable Ø6 mm 14W/m - 30,0 m	425 W
51240036	Heating cable Ø6 mm 14W/m - 35,5 m	500 W
51240048	Heating cable Ø6 mm 14W/m - 42,0 m	600 W
51240042	Heating cable Ø6 mm 14W/m - 48,0 m	660 W
51240052	Heating cable Ø6 mm 14W/m - 52,0 m	740 W
51240059	Heating cable Ø6 mm 14W/m - 59,0 m	830 W
51240076	Heating cable Ø6 mm 14W/m - 76,0 m	1075 W
51240084	Heating cable Ø6 mm 14W/m - 84,0 m	1200 W
51240100	Heating cable Ø6 mm 14W/m - 100,0 m	1400 W
51240121	Heating cable Ø6 mm 14W/m - 121,0 m	1700 W
51240154	Heating cable Ø6 mm 14W/m - 154,0 m	2150 W
51240195	Heating cable Ø6 mm 14W/m - 195,0 m	2720 W










Technical specifications ↑



6 MM HEATING CABLE

Indoor ✓ Bathroom ✓



6 MM HEATING CABLE 18 W/m

No.	Description	Watt
51260006	Heating cable Ø6 mm 18W/m - 6,0 m	115 W
51260011	Heating cable Ø6 mm 18W/m - 10,5 m	200 W
51260016	Heating cable Ø6 mm 18W/m - 15,8 m	300 W
51260021	Heating cable Ø6 mm 18W/m - 21,0 m	400 W
51260026	Heating cable Ø6 mm 18W/m - 26,4 m	500 W
51260031	Heating cable Ø6 mm 18W/m - 31,4 m	600 W
51260037	Heating cable Ø6 mm 18W/m - 37,0 m	700 W
51260042	Heating cable Ø6 mm 18W/m - 42,0 m	830 W
51260046	Heating cable Ø6 mm 18W/m - 46,0 m	900 W
51260052	Heating cable Ø6 mm 18W/m - 52,0 m	1000 W
51260067	Heating cable Ø6 mm 18W/m - 67,0 m	1300 W
51260074	Heating cable Ø6 mm 18W/m - 74,0 m	1400 W
51260088	Heating cable Ø6 mm 18W/m - 88,0 m	1650 W
51260106	Heating cable Ø6 mm 18W/m - 106,0 m	2000 W
51260135	Heating cable Ø6 mm 18W/m - 135,0 m	2550 W
51260171	Heating cable Ø6 mm 18W/m - 171,0 m	3250W



Primarily for
NEW BUILD CONCRETE FLOORS

- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according the rooms degree of insulations
- + **10 W/m** and **14 W/m** heating cables are suitable for low-built underfloor heating, installed in a minimum 10 mm thick layer onto an existing, stable construction.
- + **10 W/m** is also suitable for installation beneath wooden floors on joists.
- + **18 W/m** and **20 W/m** are suitable for embedment in a self-supported concrete layer or screed with or without reinforcement grid in a minimum 30 mm thick layer

6 MM HEATING CABLE 20 W/m

No.	Description	Watt
51260006	Heating cable Ø6 mm 18W/m - 6,0 m	115 W
51260011	Heating cable Ø6 mm 18W/m - 10,5 m	200 W
51260016	Heating cable Ø6 mm 18W/m - 15,8 m	300 W
51260021	Heating cable Ø6 mm 18W/m - 21,0 m	400 W
51260026	Heating cable Ø6 mm 18W/m - 26,4 m	500 W
51260031	Heating cable Ø6 mm 18W/m - 31,4 m	600 W
51260037	Heating cable Ø6 mm 18W/m - 37,0 m	700 W
51260042	Heating cable Ø6 mm 18W/m - 42,0 m	830 W
51260046	Heating cable Ø6 mm 18W/m - 46,0 m	900 W
51260052	Heating cable Ø6 mm 18W/m - 52,0 m	1000 W
51260067	Heating cable Ø6 mm 18W/m - 67,0 m	1300 W
51260074	Heating cable Ø6 mm 18W/m - 74,0 m	1400 W
51260088	Heating cable Ø6 mm 18W/m - 88,0 m	1650 W
51260106	Heating cable Ø6 mm 18W/m - 106,0 m	2000 W
51260135	Heating cable Ø6 mm 18W/m - 135,0 m	2550 W
51260171	Heating cable Ø6 mm 18W/m - 171,0 m	3250W



Technical specifications ↑



ACCESSORIES



SURFACE MOUNTED BACK BOX

For mounting thermostats on the wall
- Euro outlets



BACK BOX FOR LIGHT WALLS

For mounting the thermostat in
drywall, wood or other light walls.



BACK BOX FOR HARD WALLS

For mounting the thermostat in the
wall, stone or the like.



REPAIR KIT

For heating mats & cables



DOUBLE SIDED TAPE 25 & 100M

Double adhesive strong tape with very
good adhesion



ASTROFLEX

Used for leading the sensor from the
thermostat to the floor



ACCESSORIES

No. Description

53000001	Surface mounted back box
53000002	Back box for hard walls
53000003	Back box for light walls
32999000	Repair kit for heating cable
34290000	Double sided tape - 100 m
34290025	Double sided tape - 25 m
09000119	Masking Tape 25mm x 50m
53000004	Astroflex sensor tube ø 8,5mm X 2,5M
40049008	Alu tape 50mm x 25 m 50my

ALU-TAPE 25M

Aluminum tape with good heat
conduction properties



MASKING TAPE 25M





ELECTRIC FLOOR HEATING

Analog ✓ Digital ✓ Wi-Fi ✓ APP control ✓



3

Year
warranty

HC15

Manual

- + Controls heating according to floor temperature
- + Simple operation – dial on front panel
- + On / Off switch on front panel



HC30-15

Manual

- + Controls heating according to floor temperature
- + Simple operation – dial on front panel
- + On / Off switch on front panel
- + Floor temperature limit – protects wooden floors
- + Room sensor integrated



HC60

Digital

- + 6 timed events/day – helps save energy
- + Adaptive heating – optimizes heating to the room
- + Open window function – saves energy
- + Floor temperature limit – protects wooden floors
- + 1,6" Backlit LCD display
- + Room sensor integrated
- + Touch-button operation
- + Tamper safe – Keyboard lock
- + Lot20 Ecodesign



HC71

Digital

- + 4 timed events/day – helps save energy
- + Adaptive heating – optimizes heating to the room
- + Open window function – saves energy
- + Floor temperature limit – protects wooden floors
- + 1,5" Backlit LCD display
- + Button operation
- + Tamper safe – Keyboard lock
- + Lot20 Ecodesign



HC90

Digital with Wi-Fi & APP Control

- + Connect to WiFi – easy operation through App
- + 4 timed events/day – helps you save energy
- + Adaptive heating – optimizes heating to the room
- + Open window function – saves energy
- + Floor temperature limit – protects wooden floors
- + 2,9" Backlit LCD display
- + Room sensor integrated
- + Touch-button operation
- + Tamper safe – Keyboard lock
- + Lot20 Ecodesign



APP

For controlling the floor heating via HC90

- + Google & Apple store
- + Remote Access



MANUAL THERMOSTATS

No.	Description	Load
53300150	Thermostat HC15, Busch Jäger W. sensor, White	3600 W
53301500	Thermostat HC30-15 Busch Jäger - with room and floor sensor - IP21 - 16 A	3600 W

DIGITAL THERMOSTATS

No.	Description	Load
53100060	Thermostat HC60, Busch Jaeger, W. White sensor 10K	3600 W
53710000	Thermostat HC71, Busch Jäger - with room and floor sensor, IP21 - 16A	3600 W
53909000	Thermostat HC90 Wi-Fi thermostat white	3600 W
53909001	Thermostat HC90 Wi-Fi thermostat black	3600 W



ELECTRIC FLOOR HEATING

Analog ✓ Digital ✓ Wi-Fi ✓ APP control ✓



	HC15	HC30-15	HC60	HC71	HC90
Type	Manual	Manual	Digital	Digital	Digital
Wi-fi & App control	—	—	—	—	✓
Display	—	—	1,6" Backlit LCD	1,5" Backlit LCD	2,9" Backlit LCD
Control	Dial	Dial	Touch-button	Button	Touch-button
Integrated room sensor	—	✓	✓	✓	✓
Timed events/day + Saves energy	—	—	6	4	4
Adaptive heating + Optimizes heating to the room	—	—	✓	✓	✓
Open window function + Saves energy	—	—	✓	✓	✓
Floor temperature limit + Protects wooden floors	—	✓	✓	✓	✓
Lot20 Ecodesign	—	—	✓	✓	✓
Tamper safe – Keyboard lock	—	—	✓	✓	✓

No.	Description	Load
53300150	Thermostat HC15, Busch Jäger W. sensor, White	3600 W
53301500	Thermostat HC30-15 Busch Jäger - with room and floor sensor - IP21 - 16 A	3600 W

No.	Description	Load
53100060	Thermostat HC60, Busch Jaeger, W. White censer 10K	3600 W
53710000	Thermostat HC71, Busch Jäger - with room and floor sensor, IP21 - 16A	3600 W
53909000	Thermostat HC90 Wi-Fi thermostat white	3600 W
53909001	Thermostat HC90 Wi-Fi thermostat black	3600 W





GREAT FOR DIY
MARKETS &
PROFFESIONALS


HEATING FOIL

FOR THE BATHROOM MIRRORS




MIRROR HEATING

Indoor ✓ Bathroom ✓



MIRROR HEATING FILM

No.	Description	Watt
51120303	Mirror heating film 15W 274x265 mm	15 W
51120306	Mirror heating film 25W 274x584 mm	25 W
51120405	Mirror heating film 36W 400x450 mm	36 W
51120505	Mirror heating film 50W 520x524 mm	50 W
51120508	Mirror heating film 80W 524x785 mm	80 W
51120611	Mirror heating film 100W 524x1040 mm	100 W



- + Adhesive backing
- + Easy mounting
- + Prolongs the lifespan of the mirror

Mirror heating is a simple and effective solution for preventing condensation on bathroom mirrors

This technology

Involves installing a thin, electric heating pad behind the mirror that gently warms the surface of the glass, preventing moisture from accumulating. It also helps to prolong the lifespan of the mirror by reducing the risk of moisture damage.



Technical specifications ↑

PLUG & PLAY
SOLUTIONS

FROST PROTECTION

NEEDS TO BE

EASY | FAST | FLEXIBLE | EFFICIENT | SAFE



INSTALL

1



PLUG IN

2



START

3



SERIAL RESISTIVE HEATING CABLE

Indoor ✓ Outdoor ✓



Outside Pipes



Greenhouse



Valve



Sprinkler

FROST SAFE

No.	Description	Watt
43000014	FrostSafe - 1,4 m - Schuko plug	19 W
43000020	FrostSafe - 2 m - Schuko plug	26 W
43000030	FrostSafe - 3 m - Schuko plug	39 W
43000040	FrostSafe - 4 m - Schuko plug	42 W
43000050	FrostSafe - 5 m - Schuko plug	65 W
43000080	FrostSafe - 8 m - Schuko plug	107 W
43000105	FrostSafe - 10,5 m - Schuko plug	140 W
43000140	FrostSafe - 14 m - Schuko plug	185 W
43000185	FrostSafe - 18,5 m - Schuko plug	246 W
43000225	FrostSafe - 22,5 m - Schuko plug	300 W
43000380	FrostSafe - 38 m - Schuko plug	494 W
43000450	FrostSafe - 45 m - Schuko plug	585 W



- + Installation outside on pipes & waterlines
- + Constant wattage cables 13 W/m
- + With build in thermostat

No.	Description	Watt
43050014	FrostSafe - 1,4 m - DK plug	19 W
43050020	FrostSafe - 2 m - DK plug	26 W
43050030	FrostSafe - 3 m - DK plug	39 W
43050040	FrostSafe - 4 m - DK plug	42 W
43050050	FrostSafe - 5 m - DK plug	65 W
43050080	FrostSafe - 8 m - DK plug	107 W
43050105	FrostSafe - 10,5 m - DK plug	140 W
43050140	FrostSafe - 14 m - DK plug	185 W
43050185	FrostSafe - 18,5 m - DK plug	246 W
43050225	FrostSafe - 22,5 m - DK plug	300 W
43050380	FrostSafe - 38 m - DK plug	494 W
43050014	FrostSafe - 45 m - DK plug	585 W





Technical specifications ↑





SERIAL RESISTIVE HEATING CABLE

Indoor ✓ Outdoor ✓



AQUA SAFE

No.	Description	Watt
51800010	HC Aqua safe Schuko 1,0m 10W	10 W
51800020	HC Aqua safe Schuko 2,0m 20W	20 W
51800040	HC Aqua safe Schuko 4,0m 40W	40 W
51800060	HC Aqua safe Schuko 6,0m 60W	60 W
51800080	HC Aqua safe Schuko 8,0m 80W	80 W
51800100	HC Aqua safe Schuko 10,0m 100W	100 W
51800120	HC Aqua safe Schuko 12,0m 120W	120 W
51800140	HC Aqua safe Schuko 14,0m 140W	140 W
51800160	HC Aqua safe Schuko 16,0m 160W	160 W
51800180	HC Aqua safe Schuko 18,0m 180W	180 W
51800200	HC Aqua safe Schuko 20,0m 200W	200 W
51800220	HC Aqua safe Schuko 22,0m 220W	220 W
51800240	HC Aqua safe Schuko 24,0m 240W	240 W
51800300	HC Aqua safe Schuko 30,0m 300W	300 W
51800400	HC Aqua safe Schuko 40,0m 400W	400 W

10
Year
warranty

- + Installation in- and outside on pipes and waterlines
- + Constant wattage cables 10 W/m
- + Special outer jacket for inside installation in waterlines
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page **40**.

ACCESSORIES

No.	Description
40046990	Nippel



NIPPEL FOR PLUG





SERIAL RESISTIVE HEATING CABLE

Indoor ✓ Outdoor ✓



AQUA PRO KIT

No. Description

22300090	4x6mm cable 0,090 Ohm/m
22300130	4x6mm cable 0,130 Ohm/m
22300190	4x6mm cable 0,190 Ohm/m
22300285	4x6mm cable 0,285 Ohm/m
22300430	4x6mm cable 0,430 Ohm/m
22300650	4x6mm cable 0,650 Ohm/m
22301000	4x6mm cable 1,000 Ohm/m
22301520	4x6mm cable 1,520 Ohm/m



Length: 250 – 500 m

- + Installation in- and outside on pipes and waterlines
- + Constant wattage cables 10 W/m
- + Special outer jacket for inside installation in waterlines
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page **40**.

ACCESSORIES

No. Description

40046990	Nippel
----------	--------



NIPPEL FOR PLUG





SELF LIMITING HEATING CABLE

Indoor ✓ Outdoor ✓



PLUGIN

No.	Description	Watt
40047001	PlugIN - 1,4 m - Schuko plug	15 W
40047002	PlugIN - 2,0 m - Schuko plug	22 W
40047004	PlugIN - 4,0 m - Schuko plug	44 W
40047006	PlugIN - 6,0 m - Schuko plug	66 W
40047008	PlugIN - 8,0 m - Schuko plug	88 W
40047010	PlugIN - 10,0 m - Schuko plug	110 W
40047013	PlugIN - 13,0 m - Schuko plug	143 W
40047016	PlugIN - 16,0 m - Schuko plug	176 W
40047019	PlugIN - 19,0 m - Schuko plug	209 W
40047022	PlugIN - 22,0 m - Schuko plug	242 W
40047025	PlugIN - 25,0 m - Schuko plug	275 W
40047028	PlugIN - 28,0 m - Schuko plug	308 W
40047032	PlugIN - 32,0 m - Schuko plug	352 W
40047035	PlugIN - 35,0 m - Schuko plug	385 W
40047040	PlugIN - 40,0 m - Schuko plug	440 W
40047045	PlugIN - 45,0 m - Schuko plug	495 W
40047050	PlugIN - 50,0 m - Schuko plug	550 W

5
Year
warranty

- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page **40**.

ACCESSORIES

No.	Description	Watt
51482001	PlugIN - 1,4 m - DK plug	15 W
51482002	PlugIN - 2,0 m - DK plug	22 W
51482004	PlugIN - 4,0 m - DK plug	44 W
51482006	PlugIN - 6,0 m - DK plug	66 W
51482008	PlugIN - 8,0 m - DK plug	88 W
51482010	PlugIN - 10,0 m - DK plug	110 W
51482013	PlugIN - 13,0 m - DK plug	143 W
51482016	PlugIN - 16,0 m - DK plug	176 W
51482019	PlugIN - 19,0 m - DK plug	209 W
51482022	PlugIN - 22,0 m - DK plug	242 W
51482025	PlugIN - 25,0 m - DK plug	275 W
51482028	PlugIN - 28,0 m - DK plug	308 W
51482032	PlugIN - 32,0 m - DK plug	352 W
51482035	PlugIN - 35,0 m - DK plug	385 W
51482040	PlugIN - 40,0 m - DK plug	440 W
51482045	PlugIN - 45,0 m - DK plug	495 W
51482050	PlugIN - 50,0 m - DK plug	550 W

No.	Description
-----	-------------

40046990	Nippel
----------	--------

NIPPEL FOR PLUG






SELF-LIMITING HEATING CABLE

Indoor ✕ Outdoor ✓

Indoor



SELF-LIMITING CABLE - 11 W/M

No.	Description	Watt
40040211	Self-lim. Water 11 W for water pipes	11 W



Length: 250 – 500 m

- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient

SELF-LIMITING CABLE - 15 W/M

No.	Description	Watt
40040215	Self-lim. Micro 15 W	15 W




Length: 250 – 500 m

- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient



MOBILE WINTHER MAT

Indoor ✕ Outdoor ✓



MOBILE HEATING WRAP
With Velcro closure

No.	Description	Watt
50863105	Mobile heating wrap - 5,0 m - Schuko plug	85 W
50863110	Mobile heating wrap - 10,0 m - Schuko plug	170 W
50863115	Mobile heating wrap - 15,0 m - Schuko plug	255 W
50863120	Mobile heating wrap - 20,0 m - Schuko plug	340 W
50863125	Mobile heating wrap - 25,0 m - Schuko plug	425 W
50863305	Mobile heating wrap - 5,0 m - IEC309 plug	85 W
50863310	Mobile heating wrap - 10,0 m - IEC309 plug	170 W
50863315	Mobile heating wrap - 15,0 m - IEC309 plug	255 W
50863320	Mobile heating wrap - 20,0 m - IEC309 plug	340 W
50863325	Mobile heating wrap - 25,0 m - IEC309 plug	425 W
50863205	Mobile heating wrap - 5,0 m - DK Plug	85 W
50863210	Mobile heating wrap - 10,0 m - DK Plug	170 W
50863215	Mobile heating wrap - 15,0 m - DK Plug	255 W
50863220	Mobile heating wrap - 20,0 m - DK Plug	340 W
50863225	Mobile heating wrap - 25,0 m - DK Plug	425 W



Length: 5, 10, 15, 20 & 25 m

- + With built-in insulation
- + For frost protection of pipes and water lines
- + Avoid downtime during construction
- + Suitable for rental business
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.







SNOW & ICE MELTING



OUTDOOR HEATING MAT

Indoor ✕ Outdoor ✓



HEATING MAT 300W/m² - 40 CM


No.	Description	Watt
51754024	Heating mat for ice and snow melting - 300W/m ² - 40 x 600 cm	720 W
51754032	Heating mat for ice and snow melting - 300W/m ² - 40 x 800 cm	960 W
51754040	Heating mat for ice and snow melting - 300W/m ² - 40 x 1000 cm	1200 W
51754048	Heating mat for ice and snow melting - 300W/m ² - 40 x 1200 cm	1440 W
51754056	Heating mat for ice and snow melting - 300W/m ² - 40 x 1400 cm	1680 W
51754064	Heating mat for ice and snow melting - 300W/m ² - 40 x 1600 cm	1920 W
51754072	Heating mat for ice and snow melting - 300W/m ² - 40 x 1800 cm	2160 W
51754080	Heating mat for ice and snow melting - 300W/m ² - 40 x 2000 cm	2400 W
51754088	Heating mat for ice and snow melting - 300W/m ² - 40 x 2200 cm	2640 W
51754096	Heating mat for ice and snow melting - 300W/m ² - 40 x 2400 cm	2880 W
51754104	Heating mat for ice and snow melting - 300W/m ² - 40 x 2600 cm	3120 W
51754112	Heating mat for ice and snow melting - 300W/m ² - 40 x 2800 cm	3360 W



- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant

HEATING MAT 300W/m² - 80 CM

No.	Description	Watt
51758080	Heating mat for ice and snow melting - 300W/m ² - 80 x 1000 cm	2400 W
51758096	Heating mat for ice and snow melting - 300W/m ² - 80 x 1200 cm	2880 W
51758112	Heating mat for ice and snow melting - 300W/m ² - 80 x 1400 cm	3360 W
51758128	Heating mat for ice and snow melting - 300W/m ² - 80 x 1600 cm	3840 W
51758144	Heating mat for ice and snow melting - 300W/m ² - 80 x 1800 cm	4320 W



- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant




SELF-LIMITING HEATING CABLE

Indoor ✕ Outdoor ✓



Gutter & Drains



Roof



GUTTER HEAT

Self limiting heating cable

5
Year
warranty


No.	Description	Watt
50875060	Fix Gutter Heat 25W/m 6m 150W Schuko	150 W
50875100	Fix Gutter Heat 25W/m 10m 250W Schuko	250 W
50875120	Fix Gutter Heat 25W/m 12m 300W Schuko	300 W
50875150	Fix Gutter Heat 25W/m 15m 375W Schuko	375 W
50875200	Fix Gutter Heat 25W/m 20m 500W Schuko	500 W
50875250	Fix Gutter Heat 25W/m 25m 625W Schuko	625 W
50875300	Fix Gutter Heat 25W/m 30m 750W Schuko	750 W
50875400	Fix Gutter Heat 25W/m 40m 1000W Schuko	1000 W
50875500	Fix Gutter Heat 25W/m 50m 1250W Schuko	1250 W

*See accessories on page 35.



- + Self-limiting heating cable for draining of gutter and downpipes
- + Energy efficient
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.

- Heating cable is placed in the gutter
 - Fixed to the surface of the gutter by the cable clips
-
- The heating cable is laid down into the downpipe with a chain, which is held in the gutter by a traverse
 - Spacer clips are mounted on the chain to fix the cable and hold both cable lines on the distance each other
 - The cable goes down and returns up again to further be lain in the gutter





SELF-LIMITING HEATING CABLE

Indoor ✕ Outdoor ✓



GUTTER ON DRUM - 25 W/M

No.	Description	Watt
40040225	Self-lim. Gutter 25 W - price per meter	25 W

*See accessories on page 35.



Length: 250 m

- + Self-limiting heating cable for roofs and draining of gutter and downpipes
- + Energy efficient





7 MM HEATING CABLE

Indoor ✕ Outdoor ✓



7MM HEATING CABLE 20 W/m

No.	Description	Watt
51720105	Heating cable PRO Ø7 mm 20W/m - 10,5 m	210 W
51720210	Heating cable PRO Ø7 mm 20W/m - 21,0 m	417 W
51720260	Heating cable PRO Ø7 mm 20W/m - 26,0 m	504 W
51720320	Heating cable PRO Ø7 mm 20W/m - 32,0 m	627 W
51720420	Heating cable PRO Ø7 mm 20W/m - 42,0 m	837 W
51720500	Heating cable PRO Ø7 mm 20W/m - 50,0 m	1022 W
51720620	Heating cable PRO Ø7 mm 20W/m - 62,0 m	1246 W
51720690	Heating cable PRO Ø7 mm 20W/m - 69,0 m	1331 W
51720890	Heating cable PRO Ø7 mm 20W/m - 89,0 m	1774 W
51721050	Heating cable PRO Ø7 mm 20W/m - 105,0 m	2144 W
51721230	Heating cable PRO Ø7 mm 20W/m - 123,0 m	2458 W
51721500	Heating cable PRO Ø7 mm 20W/m - 150,0 m	3067 W
51721940	Heating cable PRO Ø7 mm 20W/m - 194,0 m	3880 W
51722370	Heating cable PRO Ø7 mm 20W/m - 237,0 m	4740 W



- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant

7MM HEATING CABLE 30 W/m

No.	Description	Watt
51714008	Heating cable PRO Ø7 mm 30W/m - 8,5 m	260 W
51714017	Heating cable PRO Ø7 mm 30W/m - 17,0 m	520 W
51714021	Heating cable PRO Ø7 mm 30W/m - 21,0 m	620 W
51714026	Heating cable PRO Ø7 mm 30W/m - 26,0 m	770 W
51714034	Heating cable PRO Ø7 mm 30W/m - 34,0 m	1030 W
51714041	Heating cable PRO Ø7 mm 30W/m - 41,0 m	1250 W
51714051	Heating cable PRO Ø7 mm 30W/m - 51,0 m	1510 W
51714056	Heating cable PRO Ø7 mm 30W/m - 56,0 m	1700 W
51714073	Heating cable PRO Ø7 mm 30W/m - 73,0 m	2160 W
51714087	Heating cable PRO Ø7 mm 30W/m - 87,0 m	2590 W
51714100	Heating cable PRO Ø7 mm 30W/m - 100,0 m	3270 W
51714129	Heating cable PRO Ø7 mm 30W/m - 129,0 m	3570 W





*See accessories on page 35.



PARALLEL RESISTIVE HEATING CABLE

Indoor ✕ Outdoor ✓



ROOF ULTRA ON DRUM – 20, 30 & 40 W/M

No.	Description	Watt
40012020	Roof Ultra 20W/m	20 W
40012030	Roof Ultra 30W/m	30 W
40002040	Roof Ultra 40W/m	40 W



Length: 250 – 500 m

PIPE ULTRA ON DRUM

No.	Description	Watt
40012013	Pipe Ultra 13 W/m – for drinking water	13 W

*See accessories on page 35.




Length: 250 – 500 m

- + Can be shortened to desired length on-site.
- + No issues regarding starting current as opposed to self-limiting cables and always the same output/power consumption no matter the ambient temperature.
- + Built-in cold cable can be directly connected to thermostat.
- + Easy connection to terminals.
- + Elastoprene – UV-resistant.
- + Temperature range from -40°C to +120°C.
- + Very flexible and robust and thus very easy to install. No reduction of total output over time.
- + High-quality materials provide for long service life.
- + Range of outputs from 15 W/m to 90 W



ACCESSORIES

Indoor ✕ Outdoor ✓



ACCESSORIES

No. Description

40049009	Clips for gutter - bag with 25 pcs.
40049010	Clips to down drain - bag with 25 pcs.
40049013	Traverse for the down drain
40049016	Metal chain 100 m drum
40049017	Metal Cable holder for Gutter Ø11
40049014	Edge protection for the gutter
09109001	Cable fixation metal 25 pcs.
40049015	Tagfix cable separator - 25 pcs.
34000003	Mounting tape



CLIPS FOR GUTTER

Bag With 25 pcs.



CLIPS TO DOWN DRAIN

Bag with 25 pcs.



TRAVERSE FOR THE DOWN DRAIN



EDGE PROTECTION FOR THE GUTTER



Ø11 METAL CABLE HOLDER FOR GUTTER



METAL CHAIN FOR DOWN DRAIN

100M



CABLE FIXATION



TAGFIX - CABLE SEPERATOR

Bag With 25 pcs.



MOUNTING TAPE 25 M

Galvanized strip for the attachment of up to Ø7mm cables



- Heating cable is placed in the gutter
- Fixed to the surface of the gutter by the cable clips
- The heating cable is laid down into the downpipe with a chain, which is held in the gutter by a traverse
- Spacer clips are mounted on the chain to fix the cable and hold both cable lines on the distance each other
- The cable goes down and returns up again to further be lain in the gutter



MOBILE WINTER MAT

Indoor ✕ Outdoor ✓



MOBILE WINTHER MAT

No.	Description	Watt
50850101	Winter mat 1 x 3 m - Schuko plug	850 W
50850111	Winter mat 0,8 x 6 m - Schuko plug	1400 W
50850103	Winter mat 1 x 3 m - IEC309 plug	850 W
50850113	Winter mat 0,8 x 6 m - IEC309 plug	1400 W
50850102	Winter mat 1 x 3 m - DK Plug	850 W
50850112	Winter mat 0,8 x 6 m - DK Plug	1400 W



Size: **3,0 x 1,0 m** & **6,0 x 0,8 m**
Effect: **300 W/m²**

- + Multi purpose use
- + For thawing of frozen ground and numerous applications a like
- + Avoid downtime during construction site
- + Suitable for rental business

No.	Description	Watt
50850101	Winter mat 1 x 3 m - Schuko plug	850 W
50850111	Winter mat 0,8 x 6 m - Schuko plug	1400 W
50850103	Winter mat 1 x 3 m - IEC309 plug	850 W
50850113	Winter mat 0,8 x 6 m - IEC309 plug	1400 W
50850102	Winter mat 1 x 3 m - DK Plug	850 W
50850112	Winter mat 0,8 x 6 m - DK Plug	1400 W



OUTDOOR THERMOSTATS & PROCESS CONTROL



OUTDOOR THERMOSTATS & CONTROLS

Outdoor Heating Applications ✓ Optimized Operation ✓ Energy Saving ✓



ETO2

For larger outdoor areas

- + Measures the temperature and humidity through a sensor
- + Economical control of energy consumption
- + Option of DIN installation
- + Easy to program by using the digital display and the knob



ETR2

For small outdoor areas

- + Economic control of ice and snow melting for small applications
- + Easy to install
- + Adjustment of the humidity sensor sensitivity
- + Has DIN installation



ETN4-1999

All-in-one

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy-to-use



ETR144

Smaller buildings to melt ice in gutters

- + Prevents the formation of icicles
- + Easy to use



TM1773

For larger outdoor areas

- + Economic control of ice and snow melting for Small / bigger applications
- + Easy to program
- + Option of DIN installation



TM1883UTR

All-in-one with sensor

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy to use & adjust



THERMOSTATS

No.	Description	IP
52511472	ETO2-4550 - ice and snow melting - for larger applications	IP20
52514781	ETR2-1550 - ice and snow - for smaller applications	IP20
52514782	ETN4-1999 DIN All in -20/+70 - "all in one"	IP20
52729999	ETR/F-1441A Gutter thermostat	IP20
52200000	TM-1773 ice/snow detector	IP20
52300000	TM-1883 touch thermostat +3m sensor	IP20



Technical specifications ↑



OUTDOOR SENSORS



ETOR-55
Roof & gutter

- Humidity
- IP64



ETOG-55
Ground / Outdoor surfaces

- Moisture & temperature
- IP68



ETOG-56
Outdoor surfaces

- Moisture & Temperature
- IP68



TM-3354
Flat roofs, gutter & downpipes

- Temperature & humidity
- IP68



TM-3356
Outdoor surfaces

- Moisture & Temperature
- IP68



ETF-744/99
Outdoor wall surfaces

- Temperature
- IP54



SENSORS

No.	Description
52514774	ETOR-55-US224 - roof and gutter - humidity
52514775	ETOG-55 - Ground sensor - temperature and humidity
52514784	ETOG-56 - Outdoor Surfaces sensor - Mousture & Temperature
52205420	TM-3354 - Rod-shaped sensor for Humidity & temperature
322056XX	TM-3356 - Outdoor Surface - Moisture & temperature
52514777	ETF-744/99 - Outdoor sensor - temperature



Technical specifications ↑



UNIVERSAL THERMOSTAT

All types of Heating Applications ✓ Optimized Operation ✓ Energy Saving ✓



3
Year
warranty



Thermostat

HC200 Uni

Universal. Plug & Play.



Plug it
directly into
the power
outlet



Connect it
directly to
the heating
source



Use it for all
types of heating
applications

- + Plug & Play operation
- + 4 programmable events – Time and temperature
- + Frost protection & heating control out of the box
- + Safe mode – In case of failure
- + Backlit 1,6" LCD display

SPECIFICATIONS

- 230Vac / 50-60Hz
- Max load 3000W
- IP class 44
- Schuko plug and socket
- Temperature sensor 3m
- +1 to +70 °C temperature range

THERMOSTATS

No.	Description	IP
52010010	HC200 UNI PlugIn thermostat 3m sensor 30cm cable IP44	IP44

CONCRETE CURING

UNDER LOW TEMPERATURES &
HIGH HUMIDTY CONDITIONS



CONCRETE CURING CABLE

Indoor ✕ Outdoor ✓



Drying
Concrete

HEAT CONCURE

No.	Description	Watt
51850010	Concrete Curing 10m 400W 2m H05RN-F 1.0mm2 Schuko	400W
51850022	Concrete Curing 22m 880W H05RN-F 1.0mm2 Schuko	880W
51850036	Concrete Curing 36m 1440W 2m H05RN-F 1.0mm2 Schuko	1440W
51850055	Concrete Curing 55m 2200W 2m H05RN-F 1.0mm2 Schuko	2200W
51850085	Concrete Curing 85m 3400W 2m H05RN-F 1.0mm2 Schuko	3400W



+ Solution for the construction of concrete structures under conditions of low temperatures and high humidity



FAN HEATERS





FAN HEATERS



FAN HEATER CASE



- + Fan heater in a trendy design
- + Metal cabinet and PTC heating element
- + 3 power settings : 800 W, 1000 W and 2000 W
- + Thermostat – ensures desired temperature level
- + Auto stop – stops automatically if it tips over

INDUSTRY FAN HEATER
2000W



- + Solid metal cabinet
- + Fan – 3 levels.
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

INDUSTRY FAN HEATER
3000W



- + Solid metal cabinet
- + Fan – 3 levels.
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

INDUSTRY FAN HEATER
9000W



- + Solid metal cabinet
- + Fan – 3 levels.
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

No.	Description
351010	Fan heater Case black
351020	Fan heater Case white
351000	Fan heater Case red
355010	Fan heater industry 2000W
355020	Fan heater industry 3000W
355030	Fan heater industry 9000W



Technical specifications ↑



POWER DISTRIBUTION

THE EVERYDAY ESSENTIALS



CEE CABLE SETS



CEE CABLE SET
Neopren, W. Phase Inverter

No.	Description	
3160102	Neopren 5x1,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160103	Neopren 5x1,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160107	Neopren 5x1,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 25m	IP44
3160104	Neopren 5x2,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160105	Neopren 5x2,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160108	Neopren 5x2,5mm2 - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 25m	IP44



CEE CABLE SET
Neopren

No.	Description	
3160109	Neopren 3x1,5mm2, 240V, 16A, Reinforced, 10m	IP44
3160110	Neopren 3x1,5mm2, 240V, 16A, Reinforced, 20m	IP44
3160111	Neopren 3x2,5mm2, 240V, 16A, Reinforced, 10m	IP44
3160112	Neopren 3x2,5mm2, 240V, 16A, Reinforced, 20m	IP44



CEE CABLE SET
Neopren

No.	Description	
3160113	Neopren 5x6mm2 - 230/400V 32A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160114	Neopren 5x6mm2 - 230/400V 32A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160115	Neopren 5x16mm2 - 230v/400V 63A -Reinforced CEE plug - 10m	IP44
3160116	Neopren 5x16mm2 - 230v/400V 63A - Reinforced CEE plug - 20m	IP44



PROTECTION BOX



- + Lockable
- + Protection during outdoor assembly
- + IP44



- + Adjustable bracket for mounting
- + Protection during outdoor assembly

No.	Description	
3160800	Protection box with padlock availability. Lenght 210 mm x Ø65mm - Black	
3160810	CEE plug Protection box with padlock availability. Lenght 370mm x Ø75mm - Blue	



Technical specifications ↑



CEE PLUGS



CEE PLUGS

No.	Description	
3160301	Plug CEE 250V 16A 2P+O Male	IP44
3160302	Plug (extension link) CEE 250V 16A 2P+O Female	IP44
3160303	Plug CEE 400V 16A 3P+O+J Male	IP44
3160304	Plug (extension link) CEE 400V 16A 3P+O+J Female	IP44
3160305	Plug CEE 400V 32A 3P+O+J Male	IP44
3160306	Plug (extension link) 400V 32A 3P+O+J	IP44
3160307	Plug CEE 400V 16A 3P+O+J phase Inverter	IP44
3160308	CEE Wall outlet 400V 16A 3P+O+J	IP44
3160309	CEE Wall outlet 240V 16A 3P+O+J	IP44

CEE PLUG
250V 16A 2P+O Male



CEE PLUG
250V 16A 2P+O Female



CEE PLUG
400V 16A 3P+O+J Male



CEE PLUG
400V 16A 3P+O+J Female



CEE PLUG
400V 32A 3P+O+J Male



CEE PLUG
400V 32A 3P+O+J Female



CEE PLUG
400V 16A 3P+O+J Male -
phase Inverter



CEE WALL OUTLET
400V 16A 3P+O+J



CEE WALL OUTLET
240V 16A 3P+O+J





POWER DISTRIBUTION BOX



POWER DISTRIBUTION BOX
Schuko

No.	Description	
3160056	Power Distribution Box 16A – Outlet: 4x Schuko	IP44
3160062	Power Distribution Box 32A – Outlet: 4x Schuko	IP44
3160058	Power Distribution Box 16A – Outlet 8x230V16A and 1x CEE 400V/16A	IP44
3160060	Power Distribution Box 32A – Outlet 8x230V32A and 1x CEE 400V/16A	IP44

POWER DISTRIBUTION BOX
DK

No.	Description	
3160016	Power Distribution Box 16A – Outlet: 4x DK	IP44
3160032	Power Distribution Box 32A – Outlet: 4x DK	IP44
3160018	Power Distribution Box 16A – Outlet 8x230V16A and 1x CEE 400V/16A	IP44
3160020	Power Distribution Box 32A – Outlet 8x230V32A and 1x CEE 400V/16A	IP44

STAND
For power distribution box

No.	Description
3160051	Power Distribution Box stand



+ Suitable for 16A & 32A



- **Inlet:** CEE 400/16A
- **Outlet:** 4x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/16A
- + Circuit breakers & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP 44
- + Lock on lid



- **Inlet:** CEE 400V/32A
- **Outlet:** 4x230V32A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/32A
- + Circuit breakers & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP44
- + Lock on lid



- **Inlet:** CEE 400/16A
- **Outlet:** 4x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/16A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP 44
- + Lock on lid



- **Inlet:** CEE 400V/32A
- **Outlet:** 8x230V32A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/32A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP44
- + Lock on lid



DK CABLE SETS, DISTRIBUTOR & ADAPATER PLUG



EXTENSION CORD DK 3 Socket – Impact-resistance

No.	Description
3160400	Cable set with socket 3x1.5 – Impact resistant – 10m
3160401	Cable set with socket 3x1.5 – Impact resistant – 20m
3160402	Cable set with socket 3x1.5 – Impact resistant – 30m



EXTENSION CORD DK Socket – Impact-resistance

No.	Description
3160100	Cable set – Impact resistant – Neopren DK Plug 250V 13A 3X1.5 10m
3160101	Cable set – Impact resistant – Neopren DK Plug 250V 13A 3X1.5 20m
3160106	Cable set – Impact resistant – Neopren DK Plug 250V 13A 3X1.5 30m



DISTRIBUTOR/ADAPTER PLUGS

No.	Description
3160310	Distributor/adapter plugs – 1x CEE outlet + 3x DK outlet 400v 16A – 2,2m neopren cable
3160311	Adapter plug CEE male – DK female 230V 33 cm
3160312	Adapter plug CEE female – DK male 230V 120 cm
3160315	Adapter IEC 309 Male – Schuko Female 250V 16A/6h 1P+0+J IP44





DK PLUGS & EXTENSION JOINTS



ROUND DK PLUG

With ground

No.	Description
3160500	Plug - Round w. ground, 13A 250V IP20 - Impact-resistant - green
3160508	Plug - Round w. ground, 13A 250V IP20 - forstærket - white
3160509	Plug - Round w. ground, 13A 250V IP20 - forstærket - gray
3160510	Plug - Round w. ground, 13A 250V IP20 - forstærket - black



FLAT DK PLUG

No ground

No.	Description
3160504	Plug - flat no ground, 16A 250V IP20 - Impact-resistant
3160505	Plug - flat no ground, 16A 250V IP20 - Reinforced - white
3160506	Plug - flat no ground, 16A 250V IP20 - Reinforced - gray
3160507	Plug - flat no ground, 16A 250V IP20 - Reinforced - black



DK EXTENSION JOINT

With ground

No.	Description
3160501	Extension joint W/ground, 16A 250V - Impact-resistant - red
3160514	Extension joint W/ground, 16A 250V - Reinforced - white
3160515	Extension joint W/ground, 16A 250V - Reinforced - gray
3160516	Extension joint W/ground, 16A 250V - Reinforced - black



DK EXTENSION JOINT

No ground

No.	Description
3160502	Extension joint no ground, 16A 250V IP20 - Impact-resistant - green
3160511	Extension joint no ground, 16A 250V IP20 - Reinforced - white
3160512	Extension joint no ground, 16A 250V IP20 - Reinforced - gray
3160513	Extension joint no ground, 16A 250V IP20 - Reinforced - black



DK EXTENSION 3-SOCKET

No.	Description
3160503	3-socket w/ground, 16A 250V IP20 - Impact-resistant - green
3160517	3-socket no/ground, 16A 250V IP20 - Reinforced - white
3160518	3-socket w/ground, 16A 250V IP20 - Reinforced - white
3160519	3-socket w/ground, 16A 250V IP20 - Reinforced - black



Technical specifications ↑





DK PLUGS & SCHUKO ADAPTER



HYBRID PLUG

No.	Description
3160530	Hybrid plug - adaptor from DK-plug to Schuko-stik - white
3160531	Hybrid plug - adaptor from Shuko-plug to DK-plug - white



CORPORATE SOCIAL RESPONSIBILITY



SUSTAINABILITY



Everything we do, we do because we believe in being part of the solution. Heatcom Corporation A/S design, manufacture and market electric heating solutions based on heating cables. We take responsibility by creating **SMART HEATING SOLUTIONS**, constantly innovate on our product portfolio and add new innovative solutions. We build partnerships and focus on collaboration as an important part for us to create value for our partners, ourselves, our planet and people. We always aim to operate a successful, responsible and profitable business with economic growth. Creating a good working environment is at the same time part of our core values.



Primary



Affected





Production, Facilities & Suppliers

- Our new production facility and domicile is living up to the newest standards within selection of materials as well as sustainability have played a major role in all interior decoration.
- Green energy is our primary source of propellant. This is secured through an individual agreement with our energy provider.
- In order to minimize energy consumption, we use LED lights, sensors and other control technologies in our facilities and constantly monitor our operation.
- We require social and environmental responsibility from all our suppliers.
- We constantly focus on optimizing transportation by working with suppliers on optimizing each transport – enabling as little carbon monoxide as possible.



Primary




Affected





Products

- We strive to design products for the longest possible lifetime. Enabling us to extend our offer up to 25-year guarantee.
- Our products are provided with a label that they should be recycled by the end of their life cycle.
- Our solutions provides comfort, ensuring a healthy environment and secure buildings and water supply against snow and frost damages.
- We aim to design products that provides the best possible performance with the lowest possible energy consumption.
- Our products are designed to live up to the required standards and certificates in our product category. To name a few, e.g., from Intertec, SEMKO, BEAB and Ecolot20.
- To make our product packaging recyclable and environmentally friendly a project have been started and will continue in the years to come.
- We are in a constant process of minimizing our paper consumption for product documentation, manuals, guides, brochures etc. This material is instead offered digitally to our customers.



Primary



Affected





Responsible business


- We are proud to have a workplace that welcomes all people with the right qualifications regardless of gender, race, religion, disability, sexual orientation, and age.
- Through workshops, working committees and social events, we ensure that our common values are constantly nourished.
- We believe that creating a good working environment is an important element in building a successful and profitable business.
- Among others we collaborate with the Working Environment Authority, interior architects, factory inspectors to be able to offer our employees facilities that ensure a healthy and safe working environment.




Primary



Want to know more




Our team is ready to provide personalized assistance and answer any questions you may have.



 [Facebook.com/Heatcom.dk](https://www.facebook.com/Heatcom.dk)

 [Linkedin.com/company/heatcom](https://www.linkedin.com/company/heatcom)



Heatcom.dk

A modern, dark-colored industrial building with large glass windows and a prominent entrance. The building is illuminated by warm interior lights and exterior wall sconces. The sky is a mix of orange, pink, and blue, reflecting in the glass surfaces. The entrance features a wooden slat frame around the glass doors. The company name 'HEATCOM' is displayed in large, illuminated letters on the upper right side of the building, with 'SMART HEATING SOLUTIONS' written below it in smaller letters.

HEATCOM
SMART HEATING SOLUTIONS

Heatcom Corporation A/S
Barmstedt Alle 6
DK-5500 Middelfart
Company reg. No. DK26755166

www.heatcom.dk

HEATCOM
SMART HEATING SOLUTIONS