



HEATCOM

PRODUCT CATALOGUE

OUR **CONCEPTS**
OUR **SOLUTIONS**



CONTENTS

Heatcom

- 1 About us
- 2 Brands
- 3 Heatcom 360°

1 Underfloor Heating

- 5 – 8 Heating Mats
- 9 Insulation Boards
- 10 – 16 Heating Cables & Cable Kits
- 13 Decoupling Membrane
- 17 Accessories

2 Indoor Thermostats

- 18 – 19 Thermostats - Electric Floor Heating

3 Mirror Heating

- 21 Mirror Demisters

4 Frost Protection

- 23 – 27 Heating Cables + Accessories
- 28 Mobile Heating Wrap

5 Snow & Ice Melting

- 30 Heating Mats
- 31 – 35 Heating Cables + Accessories
- 36 Mobile Winter Mat

6 Outdoor Thermostats & Controls

- 38 Outdoor Thermostats & Controls
- 39 Outdoor Sensors
- 40 Universal Thermostat

7 Concrete Curing

- 42 Heating Cable

8 Fan Heaters

- 44 Fan Heaters

9 Power Distribution


- 46 CEE Cable Sets
- 47 CEE Plugs
- 48 Power Distribution Boxes
- 49 DK Cable Sets, Distributor & Adapter Plug
- 50 – 51 DK plugs & extension joints

Sustainability

- 52 – 56 CSR

Contact Info

- 57 Contact Information



SMART HEATING SOLUTIONS

HEATCOM
SMART HEATING SOLUTIONS

Heatcom is an international Danish company which for more than 20 years have had the mission to design heating solutions, with a constant focus on intelligent design, energy efficiency & usability.

HEATCOM

Heatcom

Founded In 2002



Global export

Supporting more than 25+ countries and markets



80%

of our solutions are allocated to international markets beyond the borders of Denmark

United Kingdom

Heat Mat
Sales & Distribution

Denmark

Corporate main office
Sales, Marketing, Manufacturing,
Design and Development

Sweden

Heatcom Sweden
Sales & Distribution

France

Official
Representative
Sales

HEATCOM
360°

BRANDS

WITH A PURPOSE



We offer a diverse range of products **designed to meet the needs of various markets**

Our brands series are designed to support a wide range of demands. We strive to ensure that our customers and users receive exceptional value, superior performance, and unmatched reliability from our products, service and solutions

HEATCOM
SMART HEATING SOLUTIONS

Heatcom

- + Wide selection of solutions designed to meet the demands of every market
- + Large series of high-quality products for Residential, commercial, or industrial use
- + High reliability, efficiency & intelligent design

FLXHEAT
PROFESSIONAL HEATING

FLXHeat

- + Specialized products designed and developed for professionals and the professional market
- + Specific solutions and services to meet market's unique demands

HEATΣHOME
BY HEATCOM

HeatMyHome

- + Series of cost-effective underfloor heating mats and heating cables
- + Alternative without compromising on quality

PRIVATE LABEL
YOUR BRAND — OUR SOLUTIONS

Private Label


- + Use your brand with our solutions, products, services and extended warranties
- + In collaboration we design and develop a specific solution which suits your brand

SUCCESS THROUGH CLOSE COLLABORATION

HEATCOM
360°

Our concept and service which
we continuously develop to give
partners and users:

The best
experience



UP TO 25
Year warranty

+ 2.000
Product combinations






ELECTRIC UNDERFLOOR HEATING

Energy efficient
Easy to install
Fit any space
Wet or dry
installations




3 MM HEATING MATS

Indoor ✓ Bathroom ✓



HEATING MAT 100 W/m²

No.	Description	Watt
32100010	Heating mat 100W/m ² - 1,1 m ²	110 W
32100015	Heating mat 100W/m ² - 1,4 m ²	150 W
32100020	Heating mat 100W/m ² - 2,0 m ²	200 W
32100026	Heating mat 100W/m ² - 2,6 m ²	260 W
32100030	Heating mat 100W/m ² - 3,0 m ²	310 W
32100041	Heating mat 100W/m ² - 4,1 m ²	410 W
32100049	Heating mat 100W/m ² - 4,9 m ²	530 W
32100058	Heating mat 100W/m ² - 5,8 m ²	580 W
32100070	Heating mat 100W/m ² - 7,0 m ²	730 W
32100083	Heating mat 100W/m ² - 8,3 m ²	810 W
32100090	Heating mat 100W/m ² - 9,0 m ²	930 W
32100102	Heating mat 100W/m ² - 10,2 m ²	1000 W
32100115	Heating mat 100W/m ² - 11,5 m ²	1130 W
32100130	Heating mat 100W/m ² - 13,0 m ²	1260 W
32100151	Heating mat 100W/m ² - 15,0 m ²	1530 W


**25 YEAR
WARRANTY**

- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
32152008	Heating mat 150W/m ² 0,84 m ²	130 W
32152012	Heating mat 150W/m ² 1,2 m ²	180 W
32152016	Heating mat 150W/m ² 1,6 m ²	240 W
32152022	Heating mat 150W/m ² 2,2 m ²	320 W
32152025	Heating mat 150W/m ² 2, 5m ²	370 W
32152030	Heating mat 150W/m ² 3,0 m ²	450 W
32152034	Heating mat 150W/m ² 3,4 m ²	490 W
32152036	Heating mat 150W/m ² 3,6 m ²	520 W
32152042	Heating mat 150W/m ² 4,2 m ²	610 W
32152048	Heating mat 150W/m ² 4,8 m ²	690 W
32152054	Heating mat 150W/m ² 5,4 m ²	780 W
32152060	Heating mat 150W/m ² 6,0 m ²	860 W
32152068	Heating mat 150W/m ² 6,8 m ²	980 W
32152072	Heating mat 150W/m ² 7,2 m ²	1040 W
32152080	Heating mat 150W/m ² 8,0 m ²	1170 W
32152084	Heating mat 150W/m ² 8,4 m ²	1220 W
32152095	Heating mat 150W/m ² 9,5 m ²	1370 W
32152105	Heating mat 150W/m ² 10,5 m ²	1560 W
32152113	Heating mat 150W/m ² 11,3 m ²	1630 W
32152124	Heating mat 150W/m ² 12,4 m ²	1850 W
32152147	Heating mat 150W/m ² 14,7 m ²	2170 W

HEATING MAT 190 W/m²



No.	Description	Watt
32200006	Heating mat 190 W/m ² - 0,6 m ²	120 W
32200010	Heating mat 190 W/m ² - 1,0 m ²	180 W
32200016	Heating mat 190 W/m ² - 1,6 m ²	300 W
32200020	Heating mat 190 W/m ² - 2,0 m ²	370 W
32200026	Heating mat 190 W/m ² - 2,6 m ²	490 W
32200028	Heating mat 190 W/m ² - 2,8 m ²	520 W
32200035	Heating mat 190 W/m ² - 3,5 m ²	650 W
32200041	Heating mat 190 W/m ² - 4,1 m ²	780 W
32200055	Heating mat 190 W/m ² - 5,5 m ²	1060 W
32200061	Heating mat 190 W/m ² - 6,0 m ²	1130 W
32200068	Heating mat 190 W/m ² - 6,8 m ²	1300 W
32200073	Heating mat 190 W/m ² - 7,3 m ²	1380 W
32200087	Heating mat 190 W/m ² - 8,7 m ²	1630 W
32200102	Heating mat 190 W/m ² - 10,2 m ²	1950 W
32200129	Heating mat 190 W/m ² - 12,9 m ²	2410 W





3 MM HEATING MATS

Indoor ✓ Bathroom ✓



HEATING MAT 100 W/m²

No.	Description	Watt
50100010	Flxmat 3 - 100 W/m ² - 1,1 m ²	110 W
50100015	Flxmat 3 - 100 W/m ² - 1,4 m ²	150 W
50100020	Flxmat 3 - 100 W/m ² - 2,0 m ²	200 W
50100026	Flxmat 3 - 100 W/m ² - 2,6 m ²	260 W
50100030	Flxmat 3 - 100 W/m ² - 3,0 m ²	310 W
50100041	Flxmat 3 - 100 W/m ² - 4,1 m ²	410 W
50100049	Flxmat 3 - 100 W/m ² - 4,9 m ²	530 W
50100058	Flxmat 3 - 100 W/m ² - 5,8 m ²	580 W
50100070	Flxmat 3 - 100 W/m ² - 7,0 m ²	730 W
50100083	Flxmat 3 - 100 W/m ² - 8,3 m ²	810 W
50100090	Flxmat 3 - 100 W/m ² - 9,0 m ²	930 W
50100102	Flxmat 3 - 100 W/m ² - 10,2 m ²	1000 W
50100115	Flxmat 3 - 100 W/m ² - 11,5 m ²	1130 W
50100130	Flxmat 3 - 100 W/m ² - 13,0 m ²	1260 W
50100150	Flxmat 3 - 100 W/m ² - 15,0 m ²	1530 W



- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
50153008	Flxmat 3 150W/m ² 0,84 m ²	130 W
50153012	Flxmat 3 150W/m ² 1,2 m ²	180 W
50153016	Flxmat 3 150W/m ² 1,6 m ²	240 W
50153022	Flxmat 3 150W/m ² 2,2 m ²	320 W
50153025	Flxmat 3 150W/m ² 2,5 m ²	370 W
50153030	Flxmat 3 150W/m ² 3,0 m ²	450 W
50153034	Flxmat 3 150W/m ² 3,4 m ²	490 W
50153036	Flxmat 3 150W/m ² 3,6 m ²	520 W
50153042	Flxmat 3 150W/m ² 4,2 m ²	610 W
50153048	Flxmat 3 150W/m ² 4,8 m ²	690 W
50153054	Flxmat 3 150W/m ² 5,4 m ²	780 W
50153060	Flxmat 3 150W/m ² 6,0 m ²	860 W
50153068	Flxmat 3 150W/m ² 6,8 m ²	980 W
50153072	Flxmat 3 150W/m ² 7,2 m ²	1040 W
50153080	Flxmat 3 150W/m ² 8,0 m ²	1170 W
50153084	Flxmat 3 150W/m ² 8,4 m ²	1220 W
50153095	Flxmat 3 150W/m ² 9,5 m ²	1370 W
50153105	Flxmat 3 150W/m ² 10,5 m ²	1560 W
50153113	Flxmat 3 150W/m ² 11,3 m ²	1630 W
50153124	Flxmat 3 150W/m ² 12,4 m ²	1850 W
50153147	Flxmat 3 150W/m ² 14,7 m ²	2170 W




HEATING MAT 190 W/m²

No.	Description	Watt
50190006	Flxmat 3 - 190 W/m ² - 0,6 m ²	120 W
50190010	Flxmat 3 - 190 W/m ² - 1,0 m ²	180 W
50190016	Flxmat 3 - 190 W/m ² - 1,6 m ²	300 W
50190020	Flxmat 3 - 190 W/m ² - 2,0 m ²	370 W
50190026	Flxmat 3 - 190 W/m ² - 2,6 m ²	490 W
50190028	Flxmat 3 - 190 W/m ² - 2,8 m ²	520 W
50190035	Flxmat 3 - 190 W/m ² - 3,5 m ²	650 W
50190041	Flxmat 3 - 190 W/m ² - 4,1 m ²	780 W
50190055	Flxmat 3 - 190 W/m ² - 5,5 m ²	1060 W
50190060	Flxmat 3 - 190 W/m ² - 6,0 m ²	1130 W
50190068	Flxmat 3 - 190 W/m ² - 6,8 m ²	1300 W
50190073	Flxmat 3 - 190 W/m ² - 7,3 m ²	1380 W
50190087	Flxmat 3 - 190 W/m ² - 8,7 m ²	1630 W
50190102	Flxmat 3 - 190 W/m ² - 10,2 m ²	1950 W
50190129	Flxmat 3 - 190 W/m ² - 12,9 m ²	2410 W




3,5 MM HEATING MATS

Indoor ✓ Bathroom ✓



HEATING MAT 100 W/m²

No.	Description	Watt
80100010	HMH Mat 100W/m² 1,0 m² (0,5 m * 2,0 m)	102 W
80100013	HMH Mat 100W/m² 1,3 m² (0,5 m * 2,6 m)	125 W
80100024	HMH Mat 100W/m² 2,4 m² (0,5 m * 4,8 m)	245 W
80100037	HMH Mat 100W/m² 3,7 m² (0,5 m * 7,4 m)	370 W
80100049	HMH Mat 100W/m² 4,9 m² (0,5 m * 9,8 m)	495 W
80100061	HMH Mat 100W/m² 6,1 m² (0,5 m * 12,2 m)	610 W
80100073	HMH Mat 100W/m² 7,3 m² (0,5 m * 14,6 m)	740 W
80100086	HMH Mat 100W/m² 8,6 m² (0,5 m * 17,2 m)	865 W
80100098	HMH Mat 100W/m² 9,8 m² (0,5 m * 19,6 m)	975 W
80100110	HMH Mat 100W/m² 11,0 m² (0,5 m * 22,0 m)	1100 W
80100122	HMH Mat 100W/m² 12,2 m² (0,5 m * 24,4 m)	1235 W
80100143	HMH Mat 100W/m² 14,3 m² (0,5 m * 28,6 m)	1505 W



15 YEAR WARRANTY

- + Simple installation for open areas with no or few obstructions
- + Easy dimensioning - the mesh can easily be cut to fit the space
- + Pre-wired for a specific wattage/m²
- + Ensures an even heat distribution on the floor

HEATING MAT 150 W/m²

No.	Description	Watt
80150010	HMH Mat 150W/m² 1,0 m² (0,5 m * 2,0 m)	153 W
80150015	HMH Mat 150W/m² 1,5 m² (0,5 m * 3,0 m)	225 W
80150020	HMH Mat 150W/m² 2,0 m² (0,5 m * 4,0 m)	300 W
80150025	HMH Mat 150W/m² 2,5 m² (0,5 m * 5,0 m)	380 W
80150030	HMH Mat 150W/m² 3,0 m² (0,5 m * 6,0 m)	450 W
80150040	HMH Mat 150W/m² 4,0 m² (0,5 m * 8,0 m)	605 W
80150050	HMH Mat 150W/m² 5,0 m² (0,5 m * 10,0 m)	750 W
80150060	HMH Mat 150W/m² 6,0 m² (0,5 m * 12,0 m)	900 W
80150070	HMH Mat 150W/m² 7,0 m² (0,5 m * 14,0 m)	1050 W
80150080	HMH Mat 150W/m² 8,0 m² (0,5 m * 16,0 m)	1200 W
80150090	HMH Mat 150W/m² 9,0 m² (0,5 m * 18,0 m)	1350 W
80150100	HMH Mat 150W/m² 10,0 m² (0,5 m * 20,0 m)	1500 W
80150120	HMH Mat 150W/m² 12,0 m² (0,5 m * 24,0 m)	1800 W
80150150	HMH Mat 150W/m² 15,0 m² (0,5 m * 30,0 m)	2250 W


HEATING MAT 180 W/m²

No.	Description	Watt
80180009	HMH Mat 180W/m² 0,9 m² (0,5 m x 1,7 m)	153 W
80180017	HMH Mat 180W/m² 1,7 m² (0,5 m x 3,3 m)	300 W
80180025	HMH Mat 180W/m² 2,5 m² (0,5 m x 5,0 m)	450 W
80180034	HMH Mat 180W/m² 3,4 m² (0,5 m x 6,7 m)	605 W
80180042	HMH Mat 180W/m² 4,2 m² (0,5 m x 8,3 m)	750 W
80180050	HMH Mat 180W/m² 5,0 m² (0,5 m x 10,0 m)	900 W
80180059	HMH Mat 180W/m² 5,9 m² (0,5 m x 11,7m)	1055 W
80180067	HMH Mat 180W/m² 6,7 m² (0,5 m x 13,3 m)	1200 W
80180075	HMH Mat 180W/m² 7,5 m² (0,5 m x 15,0 m)	1350 W
80180084	HMH Mat 180W/m² 8,4 m² (0,5 m x 16,7 m)	1500 W
80180100	HMH Mat 180W/m² 10,0 m² (0,5 m x 20,0 m)	1800 W
80180125	HMH Mat 180W/m² 12,5 m² (0,5 m x 25,0 m)	2250 W



ALUMAT HEATING MAT

Indoor ✓ Bathroom ✕



ALUMAT 80 W/m²



No.	Description	Watt
40840010	AluMat 1,0 m² (0,5 x 2,0 m)	80 W
40840015	AluMat 1,5 m² (0,5 x 3,0 m)	120 W
40840020	AluMat 2,0 m² (0,5 x 4,0 m)	160 W
40840025	AluMat 2,5 m² (0,5 x 5,0 m)	200 W
40840030	AluMat 3,0 m² (0,5 x 6,0 m)	240 W
40840035	AluMat 3,5 m² (0,5 x 7,0 m)	280 W
40840040	AluMat 4,0 m² (0,5 x 8,0 m)	320 W
40840045	AluMat 4,5 m² (0,5 x 9,0 m)	360 W
40840050	AluMat 5,0 m² (0,5 x 10,0 m)	400 W
40840060	AluMat 6,0 m² (0,5 x 12,0 m)	480 W
40840070	AluMat 7,0 m² (0,5 x 14,0 m)	560 W
40840080	AluMat 8,0 m² (0,5 x 16,0 m)	640 W
40840090	AluMat 9,0 m² (0,5 x 18,0 m)	720 W
40840100	AluMat 10,0 m² (0,5 x 20,0 m)	800 W
40840120	AluMat 12,0 m² (0,5 x 24,0 m)	960 W
40840150	AluMat 15,0 m² (0,5 x 30,0 m)	1200 W



- + Dry installation — Easy and clean — no filler needed
- + Simple installation without embedding
- + Fastest heat regulation
- + Lower profile than a standard heating mat — 1,5 mm

ALUMAT 140 W/m²

No.	Description	Watt
40850010	AluMat 1,0 m² (0,5 x 2,0 m)	140 W
40850015	AluMat 1,5 m² (0,5 x 3,0 m)	210 W
40850020	AluMat 2,0 m² (0,5 x 4,0 m)	280 W
40850025	AluMat 2,5 m² (0,5 x 5,0 m)	350 W
40850030	AluMat 3,0 m² (0,5 x 6,0 m)	420 W
40850035	AluMat 3,5 m² (0,5 x 7,0 m)	490 W
40850040	AluMat 4,0 m² (0,5 x 8,0 m)	560 W
40850045	AluMat 4,5 m² (0,5 x 9,0 m)	630 W
40850050	AluMat 5,0 m² (0,5 x 10,0 m)	700 W
40850060	AluMat 6,0 m² (0,5 x 12,0 m)	840 W
40850070	AluMat 7,0 m² (0,5 x 14,0 m)	980 W
40850080	AluMat 8,0 m² (0,5 x 16,0 m)	1120 W
40850090	AluMat 9,0 m² (0,5 x 18,0 m)	1260 W
40850100	AluMat 10,0 m² (0,5 x 20,0 m)	1400 W
40850120	AluMat 12,0 m² (0,5 x 24,0 m)	1680 W
40850150	AluMat 15,0 m² (0,5 x 30,0 m)	2099 W

ACCESSORIES

No.	Description
40049008	AluTape 50mm x 25 m 50my

ALUTAPE 25M

Aluminum tape with good heat conduction properties



*Can be used beneath carpet and vinyl flooring with AluCover Insulation Board.
See Insulation Boards



INSULATION BOARDS

Indoor ✓ Bathroom ✕



REFLECTOR

3 & 6 mm

No. **Description**

40101030	Reflector3 - 3 mm 500 x 1200 - packing of 6 m ²
40101060	Reflector6 - 6 mm 500 x 1200 - packing of 6 m ²



- + Effective footstep soundproofing and thermal insulation for hard surfaces
- + Longer floor life due to levelling small irregularities of the sub-floor
- + High load resistance
- + Absorbs unevenness of the subfloor
- + Smooth surface — necessary for floating insulation of the floor
- + Very low water absorption
- + Approved as underfloor heating insulation

ALUCOVER

No. **Description**

40180700	AluCover 7 mm 2,88 m ² /pk	per m ²
----------	---------------------------------------	--------------------





- + High quality MDF plate
- + Provides a very stable subfloor
- + High resistance to both static and dynamic loads



3 MM HEATING CABLE

Indoor ✓ Bathroom ✓



3 MM HEATING CABLE 12 W/m

No.	Description	Watt
51180094	Heating cable Ø3 mm, 12 W/m - 9.4 m	120 W
51180153	Heating cable Ø3 mm, 12 W/m - 15.3 m	190 W
51180228	Heating cable Ø3 mm, 12 W/m - 22.8 m	290 W
51180297	Heating cable Ø3 mm, 12 W/m - 29.7 m	370 W
51180375	Heating cable Ø3 mm, 12 W/m - 37.5 m	470 W
51180438	Heating cable Ø3 mm, 12 W/m - 43.8 m	550 W
51180525	Heating cable Ø3 mm, 12 W/m - 52.5 m	650 W
51180671	Heating cable Ø3 mm, 12 W/m - 67.0 m	840 W
51180790	Heating cable Ø3 mm, 12 W/m - 79.0 m	980 W
51180870	Heating cable Ø3 mm, 12 W/m - 87.0 m	1090 W
51180980	Heating cable Ø3 mm, 12 W/m - 98.0 m	1230 W
51181100	Heating cable Ø3 mm, 12 W/m - 110.0 m	1370 W
51181300	Heating cable Ø3 mm, 12 W/m - 130.0 m	1630 W
51181420	Heating cable Ø3 mm, 12 W/m - 142.0 m	1770 W
51181530	Heating cable Ø3 mm, 12 W/m - 153.0 m	1920 W
51181741	Heating cable Ø3 mm, 12 W/m - 174.0 m	2170 W

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.





Ideal for
EXISTING STABLE FLOORS

- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations
- + Higher degree of flexibility



3,5 MM HEATING CABLE

Indoor ✓ Bathroom ✓



3,5 MM HEATING CABLE 14 W/m

No.	Description	Watt
80290120	HMH Ø3,5 mm 14W/m 8,4 m	120 W
80290140	HMH Ø3,5 mm 14W/m 10,2 m	140 W
80290210	HMH Ø3,5 mm 14W/m 14,9 m	210 W
80290280	HMH Ø3,5 mm 14W/m 19,5 m	280 W
80290350	HMH Ø3,5 mm 14W/m 25,0 m	350 W
80290420	HMH Ø3,5 mm 14W/m 29,5 m	420 W
80290550	HMH Ø3,5 mm 14W/m 39,5 m	550 W
80290680	HMH Ø3,5 mm 14W/m 49,0 m	680 W
80290820	HMH Ø3,5 mm 14W/m 59,0 m	820 W
80290960	HMH Ø3,5 mm 14W/m 69,0 m	960 W
80291090	HMH Ø3,5 mm 14W/m 78,0 m	1090 W
80291230	HMH Ø3,5 mm 14W/m 88,0 m	1230 W
80291370	HMH Ø3,5 mm 14W/m 98,0 m	1370 W
80291640	HMH Ø3,5 mm 14W/m 117,0 m	1640 W
80292040	HMH Ø3,5 mm 14W/m 147,0 m	2040 W

15 YEAR
WARRANTY



Ideal for
EXISTING STABLE FLOORS



- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations
- + Higher degree of flexibility

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.



3 MM HEATING CABLE

Indoor ✓ Bathroom ✓



CABLE KIT

3MM Heating cable 12 W/m + Flextube + self adhesive tape + Cover tape

No.	Description	Watt
37400094	Cable Kit 3MM Heating cable 9,4 m	120 W
37400153	Cable Kit 3MM Heating cable 15,3 m	190 W
37400228	Cable Kit 3MM Heating cable 22,8 m	290 W
37400297	Cable Kit 3MM Heating cable 29,7 m	370 W
37400375	Cable Kit 3MM Heating cable 37,5 m	470 W
37400438	Cable Kit 3MM Heating cable 43,8 m	550 W
37400525	Cable Kit 3MM Heating cable 52,5 m	650 W
37400671	Cable Kit 3MM Heating cable 67,0 m	840 W
37400790	Cable Kit 3MM Heating cable 79,0 m	980 W
37400870	Cable Kit 3MM Heating cable 87,0 m	1090 W
37400980	Cable Kit 3MM Heating cable 98,0 m	1230 W
37401100	Cable Kit 3MM Heating cable 110,0 m	1370 W
37401300	Cable Kit 3MM Heating cable 130,0 m	1630 W
37401420	Cable Kit 3MM Heating cable 142,0 m	1770 W
37401530	Cable Kit 3MM Heating cable 153,0 m	1920 W
37401741	Cable Kit 3MM Heating cable 174,0 m	2170 W

*Can be used together with Decoupling membrane. See decoupling membrane on page 13.




Ideal for
EXISTING STABLE FLOORS

- + All necessary components for an installation on existing stable floors — except the filler
- + Flexible installation for complex room shapes and limited open areas
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations.
- + Higher degree of flexibility



DECOUPLING MEMBRANE




DECOUPLING MEMBRANE

1, 5 & 15m² Rolls

No.	Description
-----	-------------

40102001	Decoupling Membrane 1,0 m ²
40102005	Decoupling Membrane 5,0 m ²
40102015	Decoupling Membrane 15,0 m ²

*Can be used together with 3 mm & 3,5 mm heating cables. See page 10 – 12.



- + Improves warmup time and energy efficiency of all underfloor heating systems
- + Features guard against sub floor movement and stress cracking
- + Combined decoupling membrane and cable carrier for speedy installation
- + Heating cables are protected from trowel work
- + Vary the cable spacing over the floor area to provide targeted heat where it's required
- + Speedy installation of heating cables without needing double-sided tape
- + No need for tapes or glue to hold down the heating cables
- + Simple to cut on-site to provide complete floor coverage
- + The membrane takes out movement in the floor to prevent tiles from cracking
- + Protects the floor covering from movement in three dimensions



UNDERFLOOR HEATING

5 MM HEATING CABLE

Indoor ✓ Bathroom ✓




Wood



Parquet




Laminate



Tile



Coating



Carpet



Vinyl



Cork



Chipboard

5 MM HEATING CABLE 20 W/m

No.	Description	Watt
80500200	HMH Heating Cable Ø5 mm 20W/m 10,0 m	200 W
80500300	HMH Heating Cable Ø5 mm 20W/m 15,0 m	300 W
80500400	HMH Heating Cable Ø5 mm 20W/m 20,0 m	400 W
80500500	HMH Heating Cable Ø5 mm 20W/m 25,0 m	500 W
80500600	HMH Heating Cable Ø5 mm 20W/m 30,0 m	600 W
80500700	HMH Heating Cable Ø5 mm 20W/m 35,0 m	700 W
80500800	HMH Heating Cable Ø5 mm 20W/m 40,0 m	800 W
80500900	HMH Heating Cable Ø5 mm 20W/m 45,0 m	900 W
80501000	HMH Heating Cable Ø5 mm 20W/m 50,0 m	1000 W
80501200	HMH Heating Cable Ø5 mm 20W/m 60,0 m	1200 W
80501400	HMH Heating Cable Ø5 mm 20W/m 70,0 m	1400 W
80501600	HMH Heating Cable Ø5 mm 20W/m 80,0 m	1600 W
80501800	HMH Heating Cable Ø5 mm 20W/m 90,0 m	1800 W
80502000	HMH Heating Cable Ø5 mm 20W/m 100,0 m	2000 W
80502400	HMH Heating Cable Ø5 mm 20W/m 120,0 m	2400 W
80503000	HMH Heating Cable Ø5 mm 20W/m 150,0 m	3000 W

15 YEAR
WARRANTY






Primarily for
NEW BUILD CONCRETE FLOORS

- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations



6 MM HEATING CABLE

Indoor ✓ Bathroom ✓



6 MM HEATING CABLE 10 W/m

No.	Description	Watt
51230008	Heating cable Ø6 mm 10W/m - 8,0 m	80 W
51230014	Heating cable Ø6 mm 10W/m - 14,0 m	140 W
51230021	Heating cable Ø6 mm 10W/m - 21,0 m	220 W
51230028	Heating cable Ø6 mm 10W/m - 28,0 m	290 W
51230035	Heating cable Ø6 mm 10W/m - 35,0 m	360 W
51230042	Heating cable Ø6 mm 10W/m - 42,0 m	420 W
51230049	Heating cable Ø6 mm 10W/m - 49,0 m	510 W
51230056	Heating cable Ø6 mm 10W/m - 56,0 m	560 W
51230061	Heating cable Ø6 mm 10W/m - 61,0 m	630 W
51230070	Heating cable Ø6 mm 10W/m - 70,0 m	700 W
51230080	Heating cable Ø6 mm 10W/m - 80,0 m	800 W
51230090	Heating cable Ø6 mm 10W/m - 90,0 m	900 W
51230100	Heating cable Ø6 mm 10W/m - 100,0 m	1000 W
51230117	Heating cable Ø6 mm 10W/m - 117,0 m	1190 W
51230130	Heating cable Ø6 mm 10W/m - 130,0 m	1310 W
51230140	Heating cable Ø6 mm 10W/m - 140,0 m	1450 W
51230160	Heating cable Ø6 mm 10W/m - 160,0 m	1650 W
51230180	Heating cable Ø6 mm 10W/m - 180,0 m	1840 W
51230200	Heating cable Ø6 mm 10W/m - 200,0 m	2020 W
51230208	Heating cable Ø6 mm 10W/m - 208,0 m	2080 W
51230220	Heating cable Ø6 mm 10W/m - 220,0 m	2210 W
51230230	Heating cable Ø6 mm 10W/m - 230,0 m	2300 W


**25 YEAR
WARRANTY**

Primarily for
NEW BUILD CONCRETE FLOORS

- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations
- + **10 W/m** and **14 W/m** heating cables are suitable for low-built underfloor heating, installed in a minimum 10 mm thick layer onto an existing, stable construction
- + **10 W/m** is also suitable for installation beneath wooden floors on joists
- + **18 W/m** and **20 W/m** are suitable for embedment in a self-supported concrete layer or screed with or without reinforcement grid in a minimum 30 mm thick layer

6 MM HEATING CABLE 14 W/m

No.	Description	Watt
51240006	Heating cable Ø6 mm 14W/m - 6,9 m	100 W
51240012	Heating cable Ø6 mm 14W/m - 11,9 m	170 W
51240018	Heating cable Ø6 mm 14W/m - 18,0 m	250 W
51240024	Heating cable Ø6 mm 14W/m - 24,0 m	330 W
51240030	Heating cable Ø6 mm 14W/m - 30,0 m	420 W
51240036	Heating cable Ø6 mm 14W/m - 35,5 m	500 W
51240048	Heating cable Ø6 mm 14W/m - 42,0 m	590 W
51240042	Heating cable Ø6 mm 14W/m - 48,0 m	660 W
51240052	Heating cable Ø6 mm 14W/m - 52,0 m	740 W
51240059	Heating cable Ø6 mm 14W/m - 59,0 m	830 W
51240067	Heating cable Ø6 mm 14W/m - 67,0 m	950 W
51240076	Heating cable Ø6 mm 14W/m - 76,0 m	1070 W




No.	Description	Watt
51240084	Heating cable Ø6 mm 14W/m - 84,0 m	1190 W
51240100	Heating cable Ø6 mm 14W/m - 100,0 m	1390 W
51240110	Heating cable Ø6 mm 14W/m - 110,0 m	1550 W
51240121	Heating cable Ø6 mm 14W/m - 121,0 m	1680 W
51240136	Heating cable Ø6 mm 14W/m - 136,0 m	1940 W
51240154	Heating cable Ø6 mm 14W/m - 154,0 m	2150 W
51240169	Heating cable Ø6 mm 14W/m - 169,0 m	2390 W
51240176	Heating cable Ø6 mm 14W/m - 176,0 m	2460 W
51240184	Heating cable Ø6 mm 14W/m - 184,0 m	2640 W
51240195	Heating cable Ø6 mm 14W/m - 195,0 m	2710 W
51240205	Heating cable Ø6 mm 14W/m - 205,0 m	2900 W
51240220	Heating cable Ø6 mm 14W/m - 220,0 m	3080 W





6 MM HEATING CABLE

Indoor ✓ Bathroom ✓



6 MM HEATING CABLE 18 W/m

No.	Description	Watt
51260006	Heating cable Ø6 mm 18W/m - 6,0 m	110 W
51260011	Heating cable Ø6 mm 18W/m - 10,5 m	190 W
51260016	Heating cable Ø6 mm 18W/m - 15,8 m	290 W
51260021	Heating cable Ø6 mm 18W/m - 21,0 m	380 W
51260026	Heating cable Ø6 mm 18W/m - 26,4 m	480 W
51260031	Heating cable Ø6 mm 18W/m - 31,4 m	570 W
51260037	Heating cable Ø6 mm 18W/m - 37,0 m	670 W
51260042	Heating cable Ø6 mm 18W/m - 42,0 m	750 W
51260046	Heating cable Ø6 mm 18W/m - 46,0 m	830 W
51260052	Heating cable Ø6 mm 18W/m - 52,0 m	940 W
51260060	Heating cable Ø6 mm 18W/m - 60,0 m	1060 W
51260067	Heating cable Ø6 mm 18W/m - 67,0 m	1210 W
51260074	Heating cable Ø6 mm 18W/m - 74,0 m	1350 W
51260088	Heating cable Ø6 mm 18W/m - 88,0 m	1580 W
51260097	Heating cable Ø6 mm 18W/m - 97,0 m	1760 W
51260106	Heating cable Ø6 mm 18W/m - 106,0 m	1920 W
51260120	Heating cable Ø6 mm 18W/m - 120,0 m	2200 W
51260135	Heating cable Ø6 mm 18W/m - 135,0 m	2450 W
51260150	Heating cable Ø6 mm 18W/m - 150,0 m	2690 W
51260155	Heating cable Ø6 mm 18W/m - 155,0 m	2800 W
51260163	Heating cable Ø6 mm 18W/m - 163,0 m	2980 W
51260171	Heating cable Ø6 mm 18W/m - 171,0 m	3090 W
51260181	Heating cable Ø6 mm 18W/m - 181,0 m	3280 W
51260193	Heating cable Ø6 mm 18W/m - 193,0 m	3510 W



Primarily for
NEW BUILD CONCRETE FLOORS

- + Extra robust cable primarily for new build concrete floors
- + Suitable for longer runs in larger areas
- + Offers an individual effect per m² according to the room's degree of insulations
- + **10 W/m** and **14 W/m** heating cables are suitable for low-built underfloor heating, installed in a minimum 10 mm thick layer onto an existing, stable construction
- + **10 W/m** is also suitable for installation beneath wooden floors on joists
- + **18 W/m** and **20 W/m** are suitable for embedment in a self-supported concrete layer or screed with or without reinforcement grid in a minimum 30 mm thick layer

6 MM HEATING CABLE 20 W/m

No.	Description	Watt
51270010	Heating cable Ø6 mm 20W/m - 10,0 m	200 W
51270015	Heating cable Ø6 mm 20W/m - 15,0 m	300 W
51270020	Heating cable Ø6 mm 20W/m - 20,0 m	400 W
51270025	Heating cable Ø6 mm 20W/m - 25,0 m	500 W
51270030	Heating cable Ø6 mm 20W/m - 30,0 m	590 W
51270036	Heating cable Ø6 mm 20W/m - 36,0 m	690 W
51270040	Heating cable Ø6 mm 20W/m - 40,0 m	790 W
51270044	Heating cable Ø6 mm 20W/m - 44,0 m	870 W
51270050	Heating cable Ø6 mm 20W/m - 50,0 m	980 W
51270057	Heating cable Ø6 mm 20W/m - 57,0 m	1120 W
51270064	Heating cable Ø6 mm 20W/m - 64,0 m	1270 W
51270071	Heating cable Ø6 mm 20W/m - 71,0 m	1410 W

No.	Description	Watt
51270084	Heating cable Ø6 mm 20W/m - 84,0 m	1660 W
51270093	Heating cable Ø6 mm 20W/m - 93,0 m	1830 W
51270101	Heating cable Ø6 mm 20W/m - 101,0 m	2010 W
51270115	Heating cable Ø6 mm 20W/m - 115,0 m	2300 W
51270130	Heating cable Ø6 mm 20W/m - 130,0 m	2540 W
51270143	Heating cable Ø6 mm 20W/m - 143,0 m	2820 W
51270148	Heating cable Ø6 mm 20W/m - 148,0 m	2930 W
51270156	Heating cable Ø6 mm 20W/m - 156,0 m	3110 W
51270163	Heating cable Ø6 mm 20W/m - 163,0 m	3250 W
51270172	Heating cable Ø6 mm 20W/m - 172,0 m	3460 W
51270185	Heating cable Ø6 mm 20W/m - 185,0 m	3670 W





ACCESSORIES



SURFACE MOUNTED BACK BOX

For mounting thermostats on the wall — Euro outlets



BACK BOX FOR LIGHT WALLS

For mounting the thermostat in drywall, wood or other light walls




BACK BOX FOR HARD WALLS

For mounting the thermostat in the wall, stone or the like



REPAIR KIT

For heating mats & cables



DOUBLE SIDED TAPE 25 & 100M

Double adhesive strong tape with very good adhesion



ASTROFLEX

Used for leading the sensor from the thermostat to the floor



ACCESSORIES


No.	Description
53000001	Surface mounted back box
53000002	Back box for hard walls
53000003	Back box for light walls
32999000	Repair kit for heating cable
34290000	Double sided tape - 100 m
34290025	Double sided tape - 25 m
9000119	Masking Tape 25 mm x 50 m
53000004	Astroflex sensor tube ø 8,5 mm x 2,5 m
40049008	AluTape 50 mm x 25 m 50 µm

ALUTAPE 25M

Aluminum tape with good heat conduction properties



MASKING TAPE 25M





INDOOR THERMOSTATS

ELECTRIC FLOOR HEATING

Analog ✓ Digital ✓ Wi-Fi ✓ APP control ✓



HC15

Manual

- + Controls heating according to floor temperature
- + Simple operation — dial on front panel
- + On / Off switch on front panel



HC30-15

Manual

- + Controls heating according to floor temperature
- + Simple operation — dial on front panel
- + On / Off switch on front panel
- + Floor temperature limit — protects wooden floors
- + Room sensor integrated



HC60

Digital

- + 6 timed events/day — helps save energy
- + Adaptive heating — optimizes heating to the room
- + Open window function — saves energy
- + Floor temperature limit — protects wooden floors
- + 1.6" Backlit LCD display
- + Room sensor integrated
- + Touch-button operation
- + Tamper safe — Keyboard lock
- + Lot20 Ecodesign



HC71

Digital

- + 4 timed events/day — helps save energy
- + Adaptive heating — optimizes heating to the room
- + Open window function — saves energy
- + Floor temperature limit — protects wooden floors
- + 1.5" Backlit LCD display
- + Button operation
- + Tamper safe — Keyboard lock
- + Lot20 Ecodesign



HC90

Digital with Wi-Fi & APP Control

- + Connect to WiFi — easy operation through App
- + 4 timed events/day — helps you save energy
- + Adaptive heating — optimizes heating to the room
- + Open window function — saves energy
- + Floor temperature limit — protects wooden floors
- + 2.9" Backlit LCD display
- + Room sensor integrated
- + Touch-button operation
- + Tamper safe — Keyboard lock
- + Lot20 Ecodesign



APP CONTROL

APP

For controlling the floor heating via HC90

- + Google & Apple store
- + Remote Access



MANUAL THERMOSTATS

No.	Description	Load
53300150	Thermostat HC15, Busch Jäger W. sensor, White	3600 W
53301500	Thermostat HC30-15 Busch Jäger — with room and floor sensor — IP21 - 16 A	3600 W

DIGITAL THERMOSTATS

No.	Description	Load
53100060	Thermostat HC60, Busch Jäger, W. White censored 10K	3600 W
53710000	Thermostat HC71, Busch Jäger — with room and floor sensor, IP21 - 16A	3600 W
53909000	Thermostat HC90 Wi-Fi thermostat white	3600 W
53909001	Thermostat HC90 Wi-Fi thermostat black	3600 W



ELECTRIC FLOOR HEATING

Analog ✓ Digital ✓ Wi-Fi ✓ APP control ✓



HC15



HC30-15



HC60



HC71



HC90



	HC15	HC30-15	HC60	HC71	HC90
Type	Manual	Manual	Digital	Digital	Digital
Wi-Fi & App control	—	—	—	—	✓
Display	—	—	1.6" Backlit LCD	1.5" Backlit LCD	2.9" Backlit LCD
Control	Dial	Dial	Touch-button	Button	Touch-button
Integrated room sensor	—	✓	✓	✓	✓
Timed events / day + Saves energy	—	—	6	4	4
Adaptive heating + Optimizes heating to the room	—	—	✓	✓	✓
Open window function + Saves energy	—	✓	✓	✓	✓
Floor temperature limit + Protects wooden floors	—	—	✓	✓	✓
Lot20 Ecodesign	—	—	✓	✓	✓
Tamper safe – Keyboard lock	—	—	✓	✓	✓

GREAT FOR
DIY &
PROFESSIONALS


HEATING FOIL FOR THE BATHROOM MIRRORS






MIRROR HEATING

Indoor ✓ Bathroom ✓



MIRROR HEATING FILM

No.	Description	Watt
51120303	Mirror heating film 15W 274x265 mm	15 W
51120306	Mirror heating film 25W 274x584 mm	25 W
51120405	Mirror heating film 36W 400x450 mm	36 W
51120505	Mirror heating film 50W 520x524 mm	50 W
51120508	Mirror heating film 80W 524x785 mm	80 W
51120611	Mirror heating film 100W 524x1040 mm	100 W



3 YEAR
WARRANTY

- + Adhesive backing
- + Easy mounting
- + Prolongs the lifespan of the mirror

Mirror heating is a simple and effective solution for preventing condensation on bathroom mirrors.

This technology

involves installing a thin, electric heating pad behind the mirror that gently warms the surface of the glass, preventing moisture from accumulating. It also helps to prolong the lifespan of the mirror by reducing the risk of moisture damage.

PLUG & PLAY
SOLUTIONS

FROST PROTECTION

NEEDS TO BE

EASY | FAST | FLEXIBLE | EFFICIENT | SAFE



INSTALL

1



PLUG IN

2



START



3



SERIAL RESISTIVE HEATING CABLE



Indoor ✓ Outdoor ✓



FROST SAFE

No.	Description	Watt
43000014	FrostSafe 1,4 m — Schuko plug	19 W
43000020	FrostSafe 2 m — Schuko plug	26 W
43000030	FrostSafe 3 m — Schuko plug	39 W
43000040	FrostSafe 4 m — Schuko plug	42 W
43000050	FrostSafe 5 m — Schuko plug	65 W
43000080	FrostSafe 8 m — Schuko plug	107 W
43000105	FrostSafe 10,5 m — Schuko plug	140 W
43000140	FrostSafe 14 m — Schuko plug	185 W
43000185	FrostSafe 18,5 m — Schuko plug	246 W
43000225	FrostSafe 22,5 m — Schuko plug	300 W
43000380	FrostSafe 38 m — Schuko plug	494 W
43000450	FrostSafe 45 m — Schuko plug	585 W

5 YEAR
WARRANTY



- + Installation outside on pipes & waterlines
- + Constant wattage cables 13 W/m
- + With build in thermostat

No.	Description	Watt
43050014	FrostSafe 1,4 m — DK plug	19 W
43050020	FrostSafe 2 m — DK plug	26 W
43050030	FrostSafe 3 m — DK plug	39 W
43050040	FrostSafe 4 m — DK plug	42 W
43050050	FrostSafe 5 m — DK plug	65 W
43050080	FrostSafe 8 m — DK plug	107 W
43050105	FrostSafe 10,5 m — DK plug	140 W
43050140	FrostSafe 14 m — DK plug	185 W
43050185	FrostSafe 18,5 m — DK plug	246 W
43050225	FrostSafe 22,5 m — DK plug	300 W
43050380	FrostSafe 38 m — DK plug	494 W
43050014	FrostSafe 45 m — DK plug	585 W



SERIAL RESISTIVE HEATING CABLE

Indoor ✓ Outdoor ✓



AQUA SAFE

No.	Description	Watt
51800010	HC Aqua safe Schuko 1,0 m 10W	10 W
51800020	HC Aqua safe Schuko 2,0 m 20W	20 W
51800040	HC Aqua safe Schuko 4,0 m 40W	40 W
51800060	HC Aqua safe Schuko 6,0 m 60W	60 W
51800080	HC Aqua safe Schuko 8,0 m 80W	80 W
51800100	HC Aqua safe Schuko 10,0 m 100W	100 W
51800120	HC Aqua safe Schuko 12,0 m 120W	120 W
51800140	HC Aqua safe Schuko 14,0 m 140W	140 W
51800160	HC Aqua safe Schuko 16,0 m 160W	160 W
51800180	HC Aqua safe Schuko 18,0 m 180W	180 W
51800200	HC Aqua safe Schuko 20,0 m 200W	200 W
51800220	HC Aqua safe Schuko 22,0 m 220W	220 W
51800240	HC Aqua safe Schuko 24,0 m 240W	240 W
51800300	HC Aqua safe Schuko 30,0 m 300W	300 W
51800400	HC Aqua safe Schuko 40,0 m 400W	400 W

10 YEAR
WARRANTYPlug &
Play

- + Installation in- and outside on pipes and waterlines
- + Constant wattage cables 10 W/m
- + Special outer jacket for inside installation in waterlines
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.

ACCESSORIES

No.	Description
40046990	Nipple




NIPPLE FOR PLUG





SERIAL RESISTIVE HEATING CABLE

Indoor ✓ Outdoor ✓



AQUA PRO KIT

No.	Description
-----	-------------

22300090	4x6 mm cable 0,090 Ohm/m
22300130	4x6 mm cable 0,130 Ohm/m
22300190	4x6 mm cable 0,190 Ohm/m
22300285	4x6 mm cable 0,285 Ohm/m
22300430	4x6 mm cable 0,430 Ohm/m
22300650	4x6 mm cable 0,650 Ohm/m
22301000	4x6 mm cable 1,000 Ohm/m
22301520	4x6 mm cable 1,520 Ohm/m



Length: 250 – 500 m

- + Installation in- and outside on pipes and waterlines
- + Constant wattage cables 10 W/m
- + Special outer jacket for inside installation in waterlines
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.

ACCESSORIES

No.	Description
-----	-------------

40046990	Nipple
----------	--------

NIPPLE FOR PLUG







SELF-LIMITING HEATING CABLE



Indoor ✓ Outdoor ✓



PLUGIN

No.	Description	Watt
40047001	PlugIN 1,4 m — Schuko plug	15 W
40047002	PlugIN 2,0 m — Schuko plug	22 W
40047004	PlugIN 4,0 m — Schuko plug	44 W
40047006	PlugIN 6,0 m — Schuko plug	66 W
40047008	PlugIN 8,0 m — Schuko plug	88 W
40047010	PlugIN 10,0 m — Schuko plug	110 W
40047013	PlugIN 13,0 m — Schuko plug	143 W
40047016	PlugIN 16,0 m — Schuko plug	176 W
40047019	PlugIN 19,0 m — Schuko plug	209 W
40047022	PlugIN 22,0 m — Schuko plug	242 W
40047025	PlugIN 25,0 m — Schuko plug	275 W
40047028	PlugIN 28,0 m — Schuko plug	308 W
40047032	PlugIN 32,0 m — Schuko plug	352 W
40047035	PlugIN 35,0 m — Schuko plug	385 W
40047040	PlugIN 40,0 m — Schuko plug	440 W
40047045	PlugIN 45,0 m — Schuko plug	495 W
40047050	PlugIN 50,0 m — Schuko plug	550 W



- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.

ACCESSORIES

No.	Description	Watt
51482001	PlugIN 1,4 m — DK plug	15 W
51482002	PlugIN 2,0 m — DK plug	22 W
51482004	PlugIN 4,0 m — DK plug	44 W
51482006	PlugIN 6,0 m — DK plug	66 W
51482008	PlugIN 8,0 m — DK plug	88 W
51482010	PlugIN 10,0 m — DK plug	110 W
51482013	PlugIN 13,0 m — DK plug	143 W
51482016	PlugIN 16,0 m — DK plug	176 W
51482019	PlugIN 19,0 m — DK plug	209 W
51482022	PlugIN 22,0 m — DK plug	242 W
51482025	PlugIN 25,0 m — DK plug	275 W
51482028	PlugIN 28,0 m — DK plug	308 W
51482032	PlugIN 32,0 m — DK plug	352 W
51482035	PlugIN 35,0 m — DK plug	385 W
51482040	PlugIN 40,0 m — DK plug	440 W
51482045	PlugIN 45,0 m — DK plug	495 W
51482050	PlugIN 50,0 m — DK plug	550 W

No.	Description
40046990	Nipple



NIPPLE FOR PLUG





SELF-LIMITING HEATING CABLE

Indoor ✕ Outdoor ✓



SELF-LIMITING CABLE – 11 W/M

No.	Description	Watt
40040211	Self-lim. Water 11 W for water pipes	11 W

**Length: 250 – 500 m**

- + Self-limiting heating cable
- + In- and outside on pipes
- + Energy efficient

SELF-LIMITING CABLE – 15 W/M

No.	Description	Watt
40040215	Self-lim. Micro 15 W	15 W


**Length: 250 – 500 m**

- + Self-limiting heating cable
- + Outside on pipes
- + Energy efficient



MOBILE HEATING WRAP

Indoor ✕ Outdoor ✓

**2 YEAR
WARRANTY**

MOBILE HEATING WRAP

with velcro closure

No.	Description	Watt
50863105	Mobile heating wrap 5,0 m — Schuko plug	85 W
50863110	Mobile heating wrap 10,0 m — Schuko plug	170 W
50863115	Mobile heating wrap 15,0 m — Schuko plug	255 W
50863120	Mobile heating wrap 20,0 m — Schuko plug	340 W
50863125	Mobile heating wrap 25,0 m — Schuko plug	425 W

50863305	Mobile heating wrap 5,0 m — IEC309 plug	85 W
50863310	Mobile heating wrap 10,0 m — IEC309 plug	170 W
50863315	Mobile heating wrap 15,0 m — IEC309 plug	255 W
50863320	Mobile heating wrap 20,0 m — IEC309 plug	340 W
50863325	Mobile heating wrap 25,0 m — IEC309 plug	425 W

50863205	Mobile heating wrap 5,0 m — DK Plug	85 W
50863210	Mobile heating wrap 10,0 m — DK Plug	170 W
50863215	Mobile heating wrap 15,0 m — DK Plug	255 W
50863220	Mobile heating wrap 20,0 m — DK Plug	340 W
50863225	Mobile heating wrap 25,0 m — DK Plug	425 W

**Plug &
Play****Length: 5, 10, 15, 20 & 25 m**

- + With built-in insulation
- + For frost protection of pipes and water lines
- + Avoid downtime during construction
- + Suitable for rental business
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.



SNOW & ICE MELTING




OUTDOOR HEATING MATS

Indoor ✕ Outdoor ✓



HEATING MAT 300W/m² - 50 CM


No.	Description	Watt
51755020	Heating mat for ice and snow melting - 300W/m ² /230V - 50 x 400 cm	600W
51755030	Heating mat for ice and snow melting- 300W/m ² /230V- 50 x 600 cm	900 W
51755040	Heating mat for ice and snow melting- 300W/m ² /230V- 50 x 800 cm	1200 W
51755050	Heating mat for ice and snow melting- 300W/m ² - 50 x 1000 cm	1500 W
51755060	Heating mat for ice and snow melting- 300W/m ² - 50 x 1200 cm	1800 W
51755070	Heating mat for ice and snow melting- 300W/m ² - 50 x 1400 cm	2100 W
51755080	Heating mat for ice and snow melting- 300W/m ² - 50 x 1600 cm	2400 W
51755100	Heating mat for ice and snow melting 300W/m ² - 50 x 2000 cm	3000 W
51755120	Heating mat for ice and snow melting 300W/m ² - 50 x 2400 cm	3600 W
51755140	Heating mat for ice and snow melting- 300W/m ² - 50 x 2800 cm	4200 W



- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant

HEATING MAT 300W/m² - 80 CM

No.	Beschreibung	Watt
51758016	Heating mat for ice and snow melting - 300W/m ² / 230V-80 x 200 cm	480 W
51758040	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 500 cm	1220 W
51758060	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 750 cm	1840 W
51758081	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 1010 cm	2450 W
51758101	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 1260 cm	3040W
51758120	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 1500 cm	3670W
51758140	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 1750 cm	4310W
51758160	Heating mat for ice and snow melting - 300W/m ² / 230V -80 x 2000 cm	4800W



- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant



SELF-LIMITING HEATING CABLE



Indoor ✕ Outdoor ✓



**5 YEAR
WARRANTY**

GUTTER HEAT

Self limiting heating cable


No.	Description	Watt
50875060	Flx Gutter Heat 25W/m 6m 150W Schuko	150 W
50875100	Flx Gutter Heat 25W/m 10m 250W Schuko	250 W
50875120	Flx Gutter Heat 25W/m 12m 300W Schuko	300 W
50875150	Flx Gutter Heat 25W/m 15m 375W Schuko	375 W
50875200	Flx Gutter Heat 25W/m 20m 500W Schuko	500 W
50875250	Flx Gutter Heat 25W/m 25m 625W Schuko	625 W
50875300	Flx Gutter Heat 25W/m 30m 750W Schuko	750 W
50875400	Flx Gutter Heat 25W/m 40m 1000W Schuko	1000 W
50875500	Flx Gutter Heat 25W/m 50m 1250W Schuko	1250 W

*See accessories on page 35.

**Plug &
Play**



- + Self-limiting heating cable for draining of gutter and downpipes
- + Energy efficient
- + Recommended installation with **HC200** thermostat for an optimized and safer operation. See page 40.



- Heating cable is placed in the gutter
- Fixed to the surface of the gutter by the cable clips
- The heating cable is laid down into the downpipe with a chain, which is held in the gutter by a traverse
- Spacer clips are mounted on the chain to fix the cable and hold both cable lines on the distance each other
- The cable goes down and returns up again to further be lain in the gutter



SELF-LIMITING HEATING CABLE

Indoor ✕ Outdoor ✓



GUTTER ON DRUM – 25 W/M


No.	Description	Watt
40040225	Self-lim. Gutter 25 W - price per meter	25 W

*See accessories on page 35.



Length: 250 m

- + Self-limiting heating cable for roofs and draining of gutter and downpipes
- + Energy efficient





7 MM HEATING CABLE

Indoor ✕ Outdoor ✓



7MM HEATING CABLE 20 W/m

No.	Description	Watt
51720105	Heating cable PRO Ø7 mm 20W/m - 10,5 m	210 W
51720210	Heating cable PRO Ø7 mm 20W/m - 21,0 m	417 W
51720260	Heating cable PRO Ø7 mm 20W/m - 26,0 m	504 W
51720320	Heating cable PRO Ø7 mm 20W/m - 32,0 m	627 W
51720420	Heating cable PRO Ø7 mm 20W/m - 42,0 m	837 W
51720500	Heating cable PRO Ø7 mm 20W/m - 50,0 m	1022 W
51720620	Heating cable PRO Ø7 mm 20W/m - 62,0 m	1246 W
51720690	Heating cable PRO Ø7 mm 20W/m - 69,0 m	1331 W
51720890	Heating cable PRO Ø7 mm 20W/m - 89,0 m	1774 W
51721050	Heating cable PRO Ø7 mm 20W/m - 105,0 m	2144 W
51721230	Heating cable PRO Ø7 mm 20W/m - 123,0 m	2458 W
51721500	Heating cable PRO Ø7 mm 20W/m - 150,0 m	3067 W
51721940	Heating cable PRO Ø7 mm 20W/m - 194,0 m	3880 W
51722370	Heating cable PRO Ø7 mm 20W/m - 237,0 m	4740 W

10 YEAR
WARRANTY



7MM HEATING CABLE 30 W/m

No.	Description	Watt
51714008	Heating cable PRO Ø7 mm 30W/m - 8,5 m	260 W
51714017	Heating cable PRO Ø7 mm 30W/m - 17,0 m	520 W
51714021	Heating cable PRO Ø7 mm 30W/m - 21,0 m	620 W
51714026	Heating cable PRO Ø7 mm 30W/m - 26,0 m	770 W
51714034	Heating cable PRO Ø7 mm 30W/m - 34,0 m	1030 W
51714041	Heating cable PRO Ø7 mm 30W/m - 41,0 m	1250 W
51714051	Heating cable PRO Ø7 mm 30W/m - 51,0 m	1510 W
51714056	Heating cable PRO Ø7 mm 30W/m - 56,0 m	1700 W
51714073	Heating cable PRO Ø7 mm 30W/m - 73,0 m	2160 W
51714087	Heating cable PRO Ø7 mm 30W/m - 87,0 m	2590 W
51714100	Heating cable PRO Ø7 mm 30W/m - 100,0 m	3270 W
51714129	Heating cable PRO Ø7 mm 30W/m - 129,0 m	3570 W

- + Suitable for various outdoor applications
- + Strong design, durable
- + UV-resistant



*See accessories on page 35.



PARALLEL RESISTIVE HEATING CABLE

Indoor ✕ Outdoor ✓



ROOF ULTRA ON DRUM – 20, 30 & 40 W/M

No.	Description	Watt
40012020	Roof Ultra 20 W/m	20 W
40012030	Roof Ultra 30 W/m	30 W
40002040	Roof Ultra 40 W/m	40 W




Length: 250 – 500 m

PIPE ULTRA ON DRUM

No.	Description	Watt
40012013	Pipe Ultra 13 W/m - for drinking water	13 W

*See accessories on page 35.



Length: 250 – 500 m

- + Can be shortened to desired length on-site
- + No issues regarding starting current as opposed to self-limiting cables and always the same output/power consumption no matter the ambient temperature
- + Built-in cold cable can be directly connected to thermostat
- + Easy connection to terminals
- + Elastoprene - UV-resistant
- + Temperature range from -40°C to +120°C
- + Very flexible and robust and thus very easy to install. No reduction of total output over time
- + High-quality materials provide for long service life
- + Range of outputs from 15 W/m to 90 W/m



ACCESSORIES

Indoor ✕ Outdoor ✓



ACCESSORIES

No.	Description
40049009	Clips for gutter — bag with 25 pcs.
40049010	Clips to down drain — bag with 25 pcs.
40049013	Traverse for the down drain
40049016	Metal chain 100 m drum
40049017	Metal Cable holder for Gutter Ø11
40049014	Edge protection for the gutter
9109001	Cable fixation metal 25 pcs.
40049015	Tagfix cable separator — 25 pcs.
34000003	Mounting tape

CLIPS FOR GUTTER

Bag with 25 pcs.



CLIPS TO DOWN DRAIN

Bag with 25 pcs.



TRAVERSE FOR THE DOWN DRAIN



EDGE PROTECTION FOR THE GUTTER



Ø11 METAL CABLE HOLDER FOR GUTTER



METAL CHAIN FOR DOWN DRAIN 100M



CABLE FIXATION




TAGFIX – CABLE SEPERATOR

Bag with 25 pcs.



MOUNTING TAPE 25 M


Galvanized strip for the attachment of up to Ø7 mm cables





MOBILE WINTER MAT

Indoor ✕ Outdoor ✓



MOBILE WINTER MAT

No.	Description	Watt
50850101	Winter mat 1 x 3 m — Schuko plug	850 W
50850111	Winter mat 0,8 x 6 m — Schuko plug	1400 W
50850103	Winter mat 1 x 3 m — IEC309 plug	850 W
50850113	Winter mat 0,8 x 6 m — IEC309 plug	1400 W
50850102	Winter mat 1 x 3 m — DK Plug	850 W
50850112	Winter mat 0,8 x 6 m — DK Plug	1400 W



Size: 3,0 x 1,0 m & 6,0 x 0,8 m

Effect: 300 W/m²

- + Multi purpose use
- + For thawing of frozen ground and numerous applications a like
- + Avoid downtime during construction site
- + Suitable for rental business



OUTDOOR THERMOSTATS & PROCESS CONTROL



OUTDOOR THERMOSTATS & CONTROLS

Outdoor Heating Applications ✓ Optimized Operation ✓ Energy Saving ✓



ETO2

For larger outdoor areas

- + Measures the temperature and humidity through a sensor
- + Economical control of energy consumption
- + Option of DIN installation
- + Easy to program by using the digital display and the knob



ETR2

For small outdoor areas

- + Economic control of ice and snow melting for small applications
- + Easy to install
- + Adjustment of the humidity sensor sensitivity
- + Has DIN installation



ETN4-1999

All-in-one

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy-to-use



ETR144

Smaller buildings to melt ice in gutters

- + Prevents the formation of icicles
- + Easy to use



TM1773

For larger outdoor areas

- + Economic control of ice and snow melting for small / bigger applications
- + Easy to program
- + Option of DIN installation



TM1883UTR

All-in-one with sensor

- + Floor heating
- + Frost protection
- + Cooling
- + Snow & Ice melting
- + Easy to use & adjust



THERMOSTATS

No.	Description	IP
52511472	ETO2-4550 - ice and snow melting - for larger applications	IP20
52514781	ETR2-1550 - ice and snow - for smaller applications	IP20
52514782	ETN4-1999 DIN All in -20/+70 - «All-in-one»	IP20
52729999	ETR/F-1441A Gutter thermostat	IP20
52200000	TM-1773 ice/snow detector	IP20
52300000	TM-1883 touch thermostat + 3 m sensor	IP20



OUTDOOR THERMOSTATS

OUTDOOR SENSORS



ETOR-55

Roof & gutter

- Humidity
- IP64



ETOG-55

Ground / Outdoor surfaces

- Moisture & temperature
- IP68



ETOG-56

Outdoor surfaces

- Moisture & Temperature
- IP68



TM-3354

Flat roofs, gutter & downpipes

- Temperature & humidity
- IP68



TM-3356

Outdoor surfaces

- Moisture & Temperature
- IP68



ETF-744/99

Outdoor wall surfaces

- Temperature
- IP54



SENSORS

No.	Description
52514774	ETOR-55-US224 — roof and gutter - humidity
52514775	ETOG-55 — Ground sensor - temperature and humidity
52514784	ETOG-56 — Outdoor Surfaces sensor - Moisture & Temperature
52205420	TM-3354 — Rod-shaped sensor for Humidity & temperature
322056XX	TM-3356 — Outdoor Surface - Moisture & Temperature
52514777	ETF-744/99 — Outdoor sensor - temperature



UNIVERSAL THERMOSTAT

All types of Heating Applications ✓ Optimized Operation ✓ Energy Saving ✓



Thermostat

HC200 Uni

Universal, Plug & Play



Plug it directly into the power outlet



Connect it directly to the heating source



Use it for all types of heating applications

- + Plug & Play operation
- + 4 programmable events – Time and temperature
- + Frost protection & heating control out of the box
- + Safe mode – In case of failure
- + Backlit 1,6" LCD display

SPECIFICATIONS

- 230 Vac / 50-60 Hz
- Max load 3000 W
- IP class 44
- Schuko plug and socket
- Temperature sensor 3 m
- +1 to +70 °C temperature range



THERMOSTATS

No.	Description	IP
52010010	HC200 UNI PlugIn thermostat 3m sensor 30cm cable IP44	IP44



CONCRETE CURING

UNDER LOW TEMPERATURES
& HIGH HUMIDTY CONDITIONS



CONCRETE CURING CABLE

Indoor ✕ Outdoor ✓



HEAT CONCURE

No.	Description	Watt
51850010	Concrete Curing 10m 400W 2m H05RN-F 1.0 mm² Schuko	400W
51850022	Concrete Curing 22m 880W H05RN-F 1.0 mm² Schuko	880W
51850036	Concrete Curing 36m 1440W 2m H05RN-F 1.0 mm² Schuko	1440W
51850055	Concrete Curing 55m 2200W 2m H05RN-F 1.0 mm² Schuko	2200W
51850085	Concrete Curing 85m 3400W 2m H05RN-F 1.0 mm² Schuko	3400W




- + Solution for the construction of concrete structures under conditions of low temperatures and high humidity



FAN HEATERS



FAN HEATERS



FAN HEATER CASE



- + Fan heater in a trendy design
- + Metal cabinet and PTC heating element
- + 3 power settings : 800 W, 1000 W and 2000 W
- + Thermostat – ensures desired temperature level
- + Auto stop – stops automatically if it tips over

INDUSTRY FAN HEATER

2000W



- + Solid metal cabinet
- + Fan – 3 levels
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

INDUSTRY FAN HEATER

3000W



- + Solid metal cabinet
- + Fan – 3 levels
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

INDUSTRY FAN HEATER

9000W



- + Solid metal cabinet
- + Fan – 3 levels
- + Thermostat – ensures desired temperature level
- + Practical handle
- + IP 24

No. Description

351010	Fan heater Case black
351020	Fan heater Case white
351000	Fan heater Case red
355010	Fan heater industry 2000W
355020	Fan heater industry 3000W
355030	Fan heater industry 9000W

POWER DISTRIBUTION

THE EVERYDAY ESSENTIALS



CEE CABLE SETS



CEE CABLE SET

Neopren, W. Phase Inverter

No.	Description	IP
3160102	Neopren 5x1,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160103	Neopren 5x1,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160107	Neopren 5x1,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 25m	IP44
3160104	Neopren 5x2,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160105	Neopren 5x2,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160108	Neopren 5x2,5 mm ² - 230/400V 16A - Reinforced CEE plug with Phase Inverter - 25m	IP44



CEE CABLE SET

Neopren

No.	Description	IP
3160109	Neopren 3x1,5 mm ² , 240V, 16A, Reinforced, 10m	IP44
3160110	Neopren 3x1,5 mm ² , 240V, 16A, Reinforced, 20m	IP44
3160111	Neopren 3x2,5 mm ² , 240V, 16A, Reinforced, 10m	IP44
3160112	Neopren 3x2,5 mm ² , 240V, 16A, Reinforced, 20m	IP44



CEE CABLE SET

Neopren

No.	Description	IP
3160113	Neopren 5x6 mm ² - 230/400V 32A - Reinforced CEE plug with Phase Inverter - 10m	IP44
3160114	Neopren 5x6 mm ² - 230/400V 32A - Reinforced CEE plug with Phase Inverter - 20m	IP44
3160115	Neopren 5x16 mm ² - 230v/400V 63A - Reinforced CEE plug - 10m	IP44
3160116	Neopren 5x16 mm ² - 230v/400V 63A - Reinforced CEE plug - 20m	IP44



PROTECTION BOX



- + Lockable
- + Protection during outdoor assembly
- + IP44



- + Adjustable bracket for mounting
- + Protection during outdoor assembly

No. Description

3160800	Protection box with padlock availability. Length 210 mm x Ø65mm - Black
3160810	CEE plug Protection box with padlock availability. Length 370mm x Ø75mm - Blue



POWER DISTRIBUTION

Everyday essentials

CEE PLUGS



7MM HEATING CABLE 20 W/m

No.	Description	IP
3160301	Plug CEE 250V 16A 2P+O Male	IP44
3160302	Plug (extension link) CEE 250V 16A 2P+O Female	IP44
3160303	Plug CEE 400V 16A 3P+O+J Male	IP44
3160304	Plug (extension link) CEE 400V 16A 3P+O+J Female	IP44
3160305	Plug CEE 400V 32A 3P+O+J Male	IP44
3160306	Plug (extension link) 400V 32A 3P+O+J	IP44
3160307	Plug CEE 400V 16A 3P+O+J phase Inverter	IP44
3160308	CEE Wall outlet 400V 16A 3P+O+J	IP44
3160309	CEE Wall outlet 240V 16A 3P+O+J	IP44

CEE PLUG

250V 16A 2P+O Male



CEE PLUG

250V 16A 2P+O Female



CEE PLUG

400V 16A 3P+O+J Male



CEE PLUG

400V 16A 3P+O+J Female



CEE PLUG

400V 32A 3P+O+J Male



CEE PLUG

400V 32A 3P+O+J Female



CEE PLUG

400V 16A 3P+O+J Male -
phase Inverter



CEE WALL OUTLET

400V 16A 3P+O+J



CEE WALL OUTLET

240V 16A 3P+O+J





POWER DISTRIBUTION

Everyday essentials

HEATCOM
SMART HEATING SOLUTIONS

9

Power Distribution

Schuko
or DK



POWER DISTRIBUTION BOX



POWER DISTRIBUTION BOX

Schuko

No.	Description	IP
3160056	Power Distribution Box 16A – Outlet: 4x Schuko16A 2x CEE 400V/16A	IP44
3160062	Power Distribution Box 32A – Outlet: 4x Schuko16A 1x CEE 400V/16A - 1x CEE 400V/32A	IP44
3160058	Power Distribution Box 16A – Outlet 8x Schuko16A 2x CEE 400V/16A	IP44
3160060	Power Distribution Box 32A – Outlet 8x Schuko16A 1x CEE 400V/16A - 1x CEE 400V/32A	IP44

POWER DISTRIBUTION BOX

DK

No.	Description	IP
3160016	Power Distribution Box 16A – Outlet: 4x DK16A 2x CEE 400V/16A	IP44
3160032	Power Distribution Box 32A – Outlet: 4x DK16A 1x CEE 400V/16A - 1x CEE 400V/32A	IP44
3160018	Power Distribution Box 16A – Outlet 8x DK16A 2x CEE 400V/16A	IP44
3160020	Power Distribution Box 32A – Outlet 8x DK16A 1x CEE 400V/16A - 1x CEE 400V/32A	IP44

STAND

For power distribution box

No.	Description
3160051	Power Distribution Box stand



+ Suitable for 16A & 32A



- **Inlet:** CEE 400/16A
- **Outlet:** 4x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/16A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP 44
- + Lock on lid



- **Inlet:** CEE 400V/32A
- **Outlet:** 4x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/32A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP44
- + Lock on lid



- **Inlet:** CEE 400/16A
- **Outlet:** 4x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/16A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP 44
- + Lock on lid



- **Inlet:** CEE 400V/32A
- **Outlet:** 8x230V16A & 1x CEE 400V/16A
- **Loop outlet:** CEE 400V/32A
- + Automatic fuse & HPFI
- + Impact-resistant ABS plastic enclosure
- + IP44
- + Lock on lid



DK CABLE SETS, DISTRIBUTOR & ADAPTER PLUG



EXTENSION CORD

DK 3 Socket – Impact-resistance

No. Description

3160400	Cable set with socket 3x1,5 - Impact resistant - 10 m
3160401	Cable set with socket 3x1,5 - Impact resistant - 20 m
3160402	Cable set with socket 3x1,5 - Impact resistant - 30 m



EXTENSION CORD

DK Socket – Impact-resistance

No. Description

3160100	Cable set - Impact resistant - Neopren DK Plug 250V 13A 3X1,5 10m
3160101	Cable set - Impact resistant - Neopren DK Plug 250V 13A 3X1,5 20m
3160106	Cable set - Impact resistant - Neopren DK Plug 250V 13A 3X1,5 30m



DISTRIBUTOR / ADAPTER PLUGS


No. Description

3160310	Distributor / adapter plugs - 1x CEE outlet + 3x DK outlet 400v 16A - 2,2 m neopren cable
3160311	Adapter plug CEE male - DK female 230V 33 cm
3160312	Adapter plug CEE female - DK male 230V 120 cm
3160315	Adapter IEC 309 Male - Schuko Female 250V 16A/6h 1P+0+J IP44






DK PLUGS & EXTENSION JOINTS



ROUND DK PLUG

With ground

No.	Description
3160500	Plug - Round w. ground, 13A 250V IP20 - Impact-resistant - green
3160508	Plug - Round w. ground, 13A 250V IP20 - Reinforced - white
3160509	Plug - Round w. ground, 13A 250V IP20 - Reinforced - gray
3160510	Plug - Round w. ground, 13A 250V IP20 - Reinforced - black



FLAT DK PLUG

No ground


No.	Description
3160504	Plug - flat no ground, 16A 250V IP20 - Impact-resistant
3160505	Plug - flat no ground, 16A 250V IP20 - Reinforced - white
3160506	Plug - flat no ground, 16A 250V IP20 - Reinforced - gray
3160507	Plug - flat no ground, 16A 250V IP20 - Reinforced - black



DK EXTENSION JOINT

With ground


No.	Description
3160501	Extension joint W/ground, 16A 250V - Impact-resistant - red
3160514	Extension joint W/ground, 16A 250V - Reinforced - white
3160515	Extension joint W/ground, 16A 250V - Reinforced - gray
3160516	Extension joint W/ground, 16A 250V - Reinforced - black



DK EXTENSION JOINT


No ground

No.	Description
3160502	Extension joint no ground, 16A 250V IP20 - Impact-resistant - green
3160511	Extension joint no ground, 16A 250V IP20 - Reinforced - white
3160512	Extension joint no ground, 16A 250V IP20 - Reinforced - gray
3160513	Extension joint no ground, 16A 250V IP20 - Reinforced - black



DK EXTENSION 3-SOCKET

No.	Description
3160503	3-socket w/ground, 16A 250V IP20 - Impact-resistant - green
3160517	3-socket no/ground, 16A 250V IP20 - Reinforced - white
3160518	3-socket w/ground, 16A 250V IP20 - Reinforced - white
3160519	3-socket w/ground, 16A 250V IP20 - Reinforced - black





DK PLUGS & SCHUKO ADAPTER



HYBRID PLUG

No.	Description
3160530	Hybrid plug - adaptor from DK-plug to Schuko-stik - white
3160531	Hybrid plug - adaptor from Shuko-plug to DK-plug - white



CORPORATE SOCIAL RESPONSIBILITY



SUSTAINABILITY



Everything we do, we do because we believe in being part of the solution. Heatcom Corporation A/S design, manufacture and market electric heating solutions based on heating cables. We take responsibility by creating **SMART HEATING SOLUTIONS**, constantly innovate on our product portfolio and add new innovative solutions. We build partnerships and focus on collaboration as an important part for us to create value for our partners, ourselves, our planet and people. We always aim to operate a successful, responsible and profitable business with economic growth. Creating a good working environment is at the same time part of our core values.

SUSTAINABLE DEVELOPMENT GOALS

Primary



Affected



SUSTAINABILITY



Production, Facilities & Suppliers

- Our new production facility and domicile is living up to the newest standards within selection of materials as well as sustainability have played a major role in all interior decoration.
- Green energy is our primary source of propellant. This is secured through an individual agreement with our energy provider.
- In order to minimize energy consumption, we use LED lights, sensors and other control technologies in our facilities and constantly monitor our operation.
- We require social and environmental responsibility from all our suppliers.
- We constantly focus on optimizing transportation by working with suppliers on optimizing each transport – enabling as little carbon monoxide as possible.

Primary



Affected



SUSTAINABILITY



Products

- We strive to design products for the longest possible lifetime. Enabling us to extend our offer up to 25-year guarantee.
- Our products are provided with a label that they should be recycled by the end of their life cycle.
- Our solutions provides comfort, ensuring a healthy environment and secure buildings and water supply against snow and frost damages.
- We aim to design products that provides the best possible performance with the lowest possible energy consumption.
- Our products are designed to live up to the required standards and certificates in our product category. To name a few, e.g., from Intertec, SEMKO, BEAB and Ecolot20.
- To make our product packaging recyclable and environmentally friendly a project have been started and will continue in the years to come.
- We are in a constant process of minimizing our paper consumption for product documentation, manuals, guides, brochures etc. This material is instead offered digitally to our customers.

Primary



Affected




SUSTAINABILITY



Responsible business

- We are proud to have a workplace that welcomes all people with the right qualifications regardless of gender, race, religion, disability, sexual orientation, and age.
- Through workshops, working committees and social events, we ensure that our common values are constantly nourished.
- We believe that creating a good working environment is an important element in building a successful and profitable business.
- Among others we collaborate with the Working Environment Authority, interior architects, factory inspectors to be able to offer our employees facilities that ensure a healthy and safe working environment.


Primary



Want to know more

360°
Solutions


Our team is ready to provide personalized assistance and answer any questions you may have.



Facebook.com/Heatcom.dk



Linkedin.com/company/heatcom



Heatcom.dk





HEATCOM
SMART HEATING SOLUTIONS

Heatcom Corporation A/S
Barmstedt Alle 6
DK-5500 Middelfart
Company reg. No. DK26755166

www.heatcom.dk

HEATCOM
SMART HEATING SOLUTIONS